



Kellems® Wire Management Products

Conduit Riser Grips

Ring Type, Double Weave, Tin-Coated Bronze

**WARNING!**

It is important that you read all breaking strength, safety and technical data relating to this product on pages T-47 and T-48.

Double Weave, Split Mesh, Lace Closing

Kellems® Conduit Riser Support Grips will support cable runs in vertical or sloping standard rigid conduit. The grip is fastened to a support ring which seats on the rim of the conduit. The entire grip is supported by the conduit itself and no other hardware is required. See page T-48 for ring dimensions. The rings will fit schedule 40 rigid PVC conduit and standard electrical rigid metal conduit. For permanent support when cable end is not available.

Suitable For Standard Electrical Rigid Metal Conduit and Schedule 40 Rigid PVC Conduit Only

Cable Sizes Inches (cm)	.75" - .99" (1.90-2.51)	1.00" - 1.24" (2.54-3.15)	1.25" - 1.49" (3.17-3.78)	1.50" - 1.74" (3.81-4.42)	1.75" - 1.99" (4.44-5.05)	2.00" - 2.49" (5.08-6.32)	2.50" - 2.99" (6.35-7.59)	3.00" - 3.49" (7.62-8.86)	3.50" - 3.99" (8.89-10.13)
Model	RS075	RS100	RS125	RS150	RS175	RS200	RS250	RS300	RS350
Length Inches (cm)	11" (27.94)	12" (30.48)	12" (30.48)	14" (35.56)	15" (38.10)	17" (43.18)	18" (45.72)	20" (50.80)	21" (53.34)
Conduit Sizes Inches	Catalog Numbers Approx. Breaking Strength Lbs. (N)								
1¼	02212003 1,580 (7,028)	•	•	•	•	•	•	•	•
1½	02212007 1,500 (6,672)	•	•	•	•	•	•	•	•
2	02212010 1,430 (6,361)	02212012 1,930 (8,585)	02212013 2,040 (9,074)	•	•	•	•	•	•
2½	•	•	02212017 1,910 (8,496)	02212018 2,040 (9,074)	•	•	•	•	•
3	•	•	02212023 1,780 (7,917)	02212024 1,890 (8,407)	02212025 2,520 (11,209)	02212026 4,300 (19,126)	•	•	•
3½	•	•	•	•	•	02212033 3,910 (17,392)	02212034 4,300 (19,126)	•	•
4	•	•	•	•	02212040 2,110 (9,385)	02212041 3,530 (15,701)	02212042 3,820 (16,991)	02212043 5,380 (23,930)	•
5	•	•	•	•	•	•	02212061 2,860 (12,721)	•	•
6	•	•	•	•	•	•	•	•	02212073 2,955 (13,144)

Note: Refer to page T-47 for multiple cables in a single conduit riser grip.