

# Flush Round Single Service Metal Concrete Floor Boxes

**ScrubShield™**  
Complies with UL514A



## Dimensions Inches (mm)

## Cast Iron

## Stamped Steel

|                                  |                                 |                                 |                             |                             |                             |                                 |                                 |                                 |
|----------------------------------|---------------------------------|---------------------------------|-----------------------------|-----------------------------|-----------------------------|---------------------------------|---------------------------------|---------------------------------|
|                                  |                                 |                                 |                             |                             |                             |                                 |                                 |                                 |
|                                  | <b>B2536</b><br>Brass<br>BA2536 | <b>B253641</b><br>Aluminum<br>- | <b>B2503</b><br>-           | <b>B2506</b><br>-           | <b>B2506415</b><br>-        | <b>B2537</b><br>Brass<br>BA2537 | <b>B2527</b><br>Brass<br>BA2527 | <b>B2529</b><br>Brass<br>BA2529 |
| <b>Min. Depth of Pour</b>        | 3.75" (95.3)                    | 3.75" (95.3)                    | 4.75" (120.7)               | 3.00" (76.2)                | 4.00" (101.6)               | 3.00" (76.2)                    |                                 |                                 |
| <b>Adjustability</b>             | Fully                           | Fully                           | Fully                       | Fully                       | Fully                       | Fully                           |                                 |                                 |
| <b>Cubic Inch (cm³) Capacity</b> | 33.0 cu. in.<br>(540.7 cm³)     | 36.0 cu. in.<br>(590.0 cm³)     | 50.8 cu. in.<br>(832.5 cm³) | 33.0 cu. in.<br>(540.7 cm³) | 54.0 cu. in.<br>(885.0 cm³) | 37.3 cu. in.<br>(611.2 cm³)     |                                 |                                 |
| <b>Dimensions – A</b>            | 3.05" (77.5)                    | 3.75" (95.3)                    | 4.75" (120.7)               | 2.87" (72.9)                | 3.88" (98.6)                | 2.91" (73.9)                    |                                 |                                 |
| <b>Dimensions – B</b>            | 4.84" (122.9)                   | 5.00" (127.0)                   | 5.00" (127.0)               | 4.84" (122.9)               | 6.00" (152.4)               | 6.00" (152.4)                   |                                 |                                 |
| <b>Dimensions – C</b>            | 4.84" (122.9)                   | 4.66" (118.4)                   | 4.66" (118.4)               | 4.84" (122.9)               | 4.81" (122.2)               | 4.81" (122.2)                   |                                 |                                 |
| <b>Dimensions – D</b>            | 4.19" (106.4)                   | 4.19" (106.4)                   | 4.19" (106.4)               | 4.19" (106.4)               | 4.19" (106.4)               | 4.19" (106.4)                   |                                 |                                 |
| <b>Threaded Access Holes</b>     | (4) ¾" (4) 1"                   | (4) ¾"                          | (4) 1¼" (4) 1½"             | (4) ¾"                      | -                           | -                               |                                 |                                 |
| <b>Knockouts – Sides</b>         | -                               | -                               | -                           | -                           | (1) 1" & (1) ¾"             | (2) ½" & (1) ¾"                 |                                 |                                 |
| <b>Knockouts – Ends</b>          | -                               | -                               | -                           | -                           | (1) 1¼" & (1) ¾"            | (1) ½" & (1) ½"                 |                                 |                                 |
| <b>Knockouts – Bottom</b>        | -                               | -                               | -                           | -                           | (3) ½" & (2) ¾"             | (3) ½" & (2) ¾"                 |                                 |                                 |
| <b>Concrete Cover Included</b>   | ✓                               | ✓                               | ✓                           | ✓                           | ✓                           | ✓                               |                                 |                                 |
| <b>Closure Plugs Included</b>    | ✓                               | ✓                               | ✓                           | ✓                           | -                           | -                               |                                 |                                 |

Notes: UL File Number E31999.  
CSA File Number LR18416.  
Suitable for single service applications only.

## Single Service Covers

Brass  
Aluminum  
3.88 in. Dia.

|                               |                               |                               |                               |                               |                             |                                                 |
|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------------------------|
| <b>S3925</b><br><b>SA3925</b> | <b>S3725</b><br><b>SA3725</b> | <b>S2525</b><br><b>SA2525</b> | <b>S2725</b><br><b>SA2725</b> | <b>S2925</b><br><b>SA2925</b> | <b>S3525</b><br>-           | <b>S3325</b><br>-                               |
|                               |                               |                               |                               |                               |                             |                                                 |
| Duplex<br>Flap                | Duplex<br>Screw               | 2 1/8" x 3/4"<br>Combination  | 2 1/8" x 1"<br>Combination    | 2 1/8" Single<br>Receptacle   | 2 3/8" Single<br>Receptacle | 2 1/8" Single<br>Receptacle<br>(Terrazzo Floor) |

## Carpet Flanges

5.25 in. Diameter

|              |               |                     |
|--------------|---------------|---------------------|
| <b>S3182</b> | <b>SA3182</b> | <b>S3079</b>        |
|              |               |                     |
| Brass        | Aluminum      | Clear Polycarbonate |

6.25 in. Diameter

|              |                |
|--------------|----------------|
| <b>S3082</b> | <b>S3082AL</b> |
|              |                |
| Brass        | Alum. Finish   |

## One Piece Brass Cover and Carpet Flange

6.25 in. Diameter


|                |                              |                            |                             |
|----------------|------------------------------|----------------------------|-----------------------------|
| <b>SF3925</b>  | <b>SF2525</b>                | <b>SF2725</b>              | <b>SF2925</b>               |
|                |                              |                            |                             |
| Duplex<br>Flap | 2 1/8" x 3/4"<br>Combination | 2 1/8" x 1"<br>Combination | 2 1/8" Single<br>Receptacle |

# Flush Rectangular Non-Metallic Concrete Floor Boxes with Non-Metallic Covers

**ScrubShield™**  
Complies with UL514A



## Dimensions Inches (mm)

| Style                                                                             | 1-Gang                                                                                              | 2-Gang                                                                                              | 3-Gang                                                                                               |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
|  | <br><b>PFBRG1*</b> | <br><b>PFBRG2</b> | <br><b>PFBRG3</b> |
| <b>Min. Depth of Pour</b>                                                         | 3.00" (76.2)                                                                                        | 3.00" (76.2)                                                                                        | 3.00" (76.2)                                                                                         |
| <b>Adjustability</b>                                                              | Fully                                                                                               | Fully                                                                                               | Fully                                                                                                |
| <b>Cubic Inch (cm³) Capacity Per Gang</b>                                         | 14.3 cu. in. (234.3 cm³) per 1" depth                                                               | 14.3 cu. in. (234.3 cm³) per 1" depth                                                               | 14.3 cu. in. (234.3 cm³) per 1" depth                                                                |
| <b>Dimensions – A</b>                                                             | 6.00" (152.4)                                                                                       | 6.00" (152.4)                                                                                       | 6.00" (152.4)                                                                                        |
| <b>Dimensions – B</b>                                                             | 3.60" (91.4)                                                                                        | 6.82" (173.2)                                                                                       | 10.04" (255.0)                                                                                       |
| <b>Dimensions – C</b>                                                             | 5.42" (137.7)                                                                                       | 5.42" (137.7)                                                                                       | 5.42" (137.7)                                                                                        |
| <b>Dimensions – D</b>                                                             | 6.90" (175.3)                                                                                       | 6.90" (175.3)                                                                                       | 6.90" (175.3)                                                                                        |
| <b>Dimensions – E</b>                                                             | 5.44" (138.2)                                                                                       | 8.66" (220.0)                                                                                       | 11.87" (301.5)                                                                                       |
| <b>Hubs</b>                                                                       | (4) 1"                                                                                              | (6) 1"                                                                                              | (8) 1"                                                                                               |
| <b>Reducers</b>                                                                   | (4) 1" to 3/4"                                                                                      | (6) 1" to 3/4"                                                                                      | (8) 1" to 3/4"                                                                                       |
| <b>Concrete Cover Included</b>                                                    | ✓                                                                                                   | ✓                                                                                                   | ✓                                                                                                    |
| <b>Closure Plugs Included</b>                                                     | ✓                                                                                                   | ✓                                                                                                   | ✓                                                                                                    |
| <b>Removable LV Barrier</b>                                                       | –                                                                                                   | ✓                                                                                                   | ✓                                                                                                    |

Notes: UL File Number E92074.

CSA File Number LR18416.

\* Suitable for single service applications only.

## Flush Rectangular Non-Metallic Covers and Flanges

### Required Components for Carpet Applications

Carpet Flanges

| Number of Gangs | 1-Gang          | 2-Gang          | 3-Gang          |
|-----------------|-----------------|-----------------|-----------------|
| Dimensions      | 6.00" x 4.88"   | 6.00" x 8.13"   | 6.00" x 11.35"  |
| Black           | <b>PFBRFBL1</b> | <b>PFBRFBL2</b> | <b>PFBRFBL3</b> |
| Brown           | <b>PFBRFBR1</b> | <b>PFBRFBR2</b> | <b>PFBRFBR3</b> |
| Gray            | <b>PFBRFGY1</b> | <b>PFBRFGY2</b> | <b>PFBRFGY3</b> |
| Ivory           | <b>PFBRFI1</b>  | <b>PFBRFI2</b>  | <b>PFBRFI3</b>  |



Cover with Duplex and Style Line® Inserts included

|                       |
|-----------------------|
| One Required per Gang |
| 4.15" x 2.97"         |
| <b>PFBR826BLA</b>     |
| <b>PFBR826BRA</b>     |
| <b>PFBR826GYA</b>     |
| <b>PFBR826IA</b>      |



Duplex  
Insert

Cover

Style Line®  
Decorator Insert

### Required Components for Tile Applications

Mounting Collar

One Required per Gang

**PFBRMC**



Cover Frame

One Required per Gang  
Dim. 4.47" x 3.25"

**PFBRFRA**



Cover with Duplex and Style Line® Inserts included – Gray

One Required per Gang  
Cover Dim. 4.15" x 2.97"

**PFBR826GYA**



Duplex  
Insert

Cover

Style Line®  
Decorator Insert

# Flush Rectangular Non-Metallic Concrete Floor Boxes with Metal Covers

**ScrubShield™**  
Complies with UL514A



## Dimensions Inches (mm)

| Style                                     | 1-Gang                                | 2-Gang                                | 3-Gang                                |
|-------------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
|                                           | <p><b>PFBRG1*</b></p>                 | <p><b>PFBRG2</b></p>                  | <p><b>PFBRG3</b></p>                  |
| <b>Min. Depth of Pour</b>                 | 3.00" (76.2)                          | 3.00" (76.2)                          | 3.00" (76.2)                          |
| <b>Adjustability</b>                      | Fully                                 | Fully                                 | Fully                                 |
| <b>Cubic Inch (cm³) Capacity Per Gang</b> | 14.3 cu. in. (234.3 cm³) per 1" depth | 14.3 cu. in. (234.3 cm³) per 1" depth | 14.3 cu. in. (234.3 cm³) per 1" depth |
| <b>Dimensions – A</b>                     | 6.00" (152.4)                         | 6.00" (152.4)                         | 6.00" (152.4)                         |
| <b>Dimensions – B</b>                     | 3.60" (91.4)                          | 6.82" (173.2)                         | 10.04" (255.0)                        |
| <b>Dimensions – C</b>                     | 5.42" (137.7)                         | 5.42" (137.7)                         | 5.42" (137.7)                         |
| <b>Dimensions – D</b>                     | 6.90" (175.3)                         | 6.90" (175.3)                         | 6.90" (175.3)                         |
| <b>Dimensions – E</b>                     | 5.44" (138.2)                         | 8.66" (220.0)                         | 11.87" (301.5)                        |
| <b>Hubs</b>                               | (4) 1"                                | (6) 1"                                | (8) 1"                                |
| <b>Reducers</b>                           | (4) 1" to 3/4"                        | (6) 1" to 3/4"                        | (8) 1" to 3/4"                        |
| <b>Concrete Cover Included</b>            | ✓                                     | ✓                                     | ✓                                     |
| <b>Closure Plugs Included</b>             | ✓                                     | ✓                                     | ✓                                     |
| <b>Removable LV Barrier</b>               | –                                     | ✓                                     | ✓                                     |

Notes: UL File Number E92074.

CSA File Number LR18416.

\* Suitable for single service applications only.

## Flush Rectangular Metal Covers and Flanges

### Required Components for Carpet and Tile Applications

Adapter Collar – One Required per Gang  
Gray **PFBRAC**



Adapter Frame with Grounding Lug – One Required per Gang  
Dim. 4.36" x 3.20"

Brass  
Aluminum

**S5017G**  
**SA5017G**



### Covers – One Required per Gang

Brass  
Aluminum  
Dimensions  
4.15" x 2.99"



Duplex  
Flap



Duplex  
Screw



Style Line®  
Opening



2 1/8" x 3/4"  
Combination



2 1/8" x 1"  
Combination



2 1/8" Single  
Receptacle



Blank

### Carpet Flanges (Not Required for Tile Applications)

#### Tapered Flange

Number of Gangs  
Dimensions  
Brass  
Aluminum

1-Gang  
6.00" x 4.85"  
**SB3083**  
**SA3083**



2-Gang  
6.00" x 8.13"  
**SB3084**  
**SA3084**




3-Gang  
6.00" x 11.34"  
**SB3085**  
**SA3085**



# Flush Rectangular Cast Iron Concrete Floor Boxes

**ScrubShield™**  
Complies with UL514A



| Dimensions Inches (mm)                                                                                                                                                        |                                                                                   | Cast Iron                                                                         |                                                                                   |                                                                                    |                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <div>Style</div> <div></div> <div>Collar Material</div> <div>Brass</div> <div>Aluminum</div> | 1-Gang Deep                                                                       | 2-Gang Deep                                                                       | 3-Gang Deep                                                                       | 1-Gang Shallow                                                                     | 2-Gang Shallow                                                                      | 3-Gang Shallow                                                                      |
|                                                                                                                                                                               |  |  |  |  |  |  |
|                                                                                                                                                                               | <b>B2436*</b> <b>B243641*</b><br><b>BA2436*</b> –                                 | <b>B4233</b> <b>B423341</b><br><b>BA4233</b> –                                    | <b>B4333</b> <b>B433361</b><br><b>BA4333</b> –                                    | <b>B2414*</b><br>–                                                                 | <b>B4214</b><br>–                                                                   | <b>B4314</b><br>–                                                                   |
| Min. Depth of Pour                                                                                                                                                            | 3.75" (95.3)                                                                      | 3.75" (95.3)                                                                      | 3.75" (95.3)                                                                      | 2.00" (50.8)                                                                       | 2.00" (50.8)                                                                        | 2.00" (50.8)                                                                        |
| Adjustability                                                                                                                                                                 | Fully                                                                             | Fully                                                                             | Fully                                                                             | Semi                                                                               | Semi                                                                                | Semi                                                                                |
| Cubic Inch (cm³) Capacity Per Gang                                                                                                                                            | 33.0 cu. in.<br>(540.7 cm³)                                                       | 36.5 cu. in.<br>(598.1 cm³)                                                       | 34.8 cu. in.<br>(570.3 cm³)                                                       | 16.0 cu. in.<br>(262.2 cm³)                                                        | 16.0 cu. in.<br>(262.2 cm³)                                                         | 16.0 cu. in.<br>(262.2 cm³)                                                         |
| Dimensions – A                                                                                                                                                                | 3.20" (81.3)                                                                      | 3.38" (85.9)                                                                      | 3.38" (85.9)                                                                      | 2.00" (50.8)                                                                       | 2.00" (50.8)                                                                        | 2.00" (50.8)                                                                        |
| Dimensions – B                                                                                                                                                                | 4.69" (119.1)                                                                     | 4.84" (122.9)                                                                     | 4.90" (122.5)                                                                     | 5.46" (138.7)                                                                      | 5.46" (138.7)                                                                       | 5.46" (138.7)                                                                       |
| Dimensions – C                                                                                                                                                                | 4.69" (119.1)                                                                     | 8.06" (204.7)                                                                     | 11.41" (289.8)                                                                    | 4.19" (106.4)                                                                      | 7.49" (190.2)                                                                       | 10.7" (271.8)                                                                       |
| Dimensions – D                                                                                                                                                                | 4.36" (110.7)                                                                     | 4.36" (110.7)                                                                     | 4.36" (110.7)                                                                     | 4.38" (111.3)                                                                      | 4.38" (111.3)                                                                       | 4.38" (111.3)                                                                       |
| Dimensions – E                                                                                                                                                                | 3.19" (81.0)                                                                      | 6.42" (163.1)                                                                     | 9.64" (244.9)                                                                     | 3.19" (81.0)                                                                       | 6.38" (162.1)                                                                       | 9.56" (242.8)                                                                       |
| Threaded Access Holes                                                                                                                                                         | (4) ¾" (4) 1"                                                                     | (6) ¾" (4) 1" &<br>(2) ¾"                                                         | (8) ¾" (4) 1" &<br>(2) ¾"                                                         | (2) ¾"                                                                             | (4) ¾"                                                                              | (6) ¾"                                                                              |
| Concrete Cover Included                                                                                                                                                       | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                  | ✓                                                                                   | ✓                                                                                   |
| Closure Plugs Included                                                                                                                                                        | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                  | ✓                                                                                   | ✓                                                                                   |
| Removable LV Barrier                                                                                                                                                          | –                                                                                 | ✓                                                                                 | ✓                                                                                 | –                                                                                  | ✓                                                                                   | ✓                                                                                   |

Notes: UL File Number E92074.

CSA File Number LR18416.

\* Suitable for single service applications only.

## Flush Rectangular Floor Box Covers

|                             |                |                 |                        |                              |                            |                             |                             |               |
|-----------------------------|----------------|-----------------|------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|---------------|
| Brass                       | <b>S3825</b>   | <b>S3625</b>    | <b>S3826</b>           | <b>S2425</b>                 | <b>S2625</b>               | <b>S2825</b>                | <b>S3425</b>                | <b>S3813</b>  |
| Aluminum                    | <b>SA3825</b>  | <b>SA3625</b>   | <b>SA3826</b>          | <b>SA2425</b>                | <b>SA2625</b>              | –                           | –                           | <b>SA3813</b> |
| Dimensions<br>4.15" x 2.99" |                |                 |                        |                              |                            |                             |                             |               |
|                             | Duplex<br>Flap | Duplex<br>Screw | Style Line®<br>Opening | 2 1/8" x 3/4"<br>Combination | 2 1/8" x 1"<br>Combination | 2 1/8" Single<br>Receptacle | 2 3/8" Single<br>Receptacle | Blank         |



## Carpet Flanges

|                       |               |               |                |
|-----------------------|---------------|---------------|----------------|
| <b>Tapered Flange</b> |               |               |                |
| Number of Gangs       | 1-Gang        | 2-Gang        | 3-Gang         |
| Dimensions            | 6.00" x 4.85" | 6.00" x 8.13" | 6.00" x 11.34" |
| Brass                 | <b>SB3083</b> | <b>SB3084</b> | <b>SB3085</b>  |
| Aluminum              | <b>SA3083</b> | <b>SA3084</b> | <b>SA3085</b>  |
| Clear Polycarbonate   | <b>S3083</b>  | <b>S3084</b>  | <b>S3085</b>   |
|                       |               |               |                |

# Flush Rectangular Stamped Steel Concrete Floor Boxes

**ScrubShield™**  
Complies with UL514A



| Dimensions Inches (mm)                                                                                                           |                                                                                   |                                                                                   |                                                                                   | Stamped Steel                                                                     |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
|----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Style                                                                                                                            | 1-Gang Deep                                                                       | 2-Gang Deep                                                                       | 3-Gang Deep                                                                       | 1-Gang Shallow                                                                    | 2-Gang Shallow                                                                     | 3-Gang Shallow                                                                      | 1-Gang Deep                                                                         | 1-Gang Shallow                                                                      |
| <br><b>Collar Material</b><br>Brass<br>Aluminum |  |  |  |  |  |  |  |  |
|                                                                                                                                  | <b>B2431*</b><br><b>BA2431*</b>                                                   | <b>B2432</b><br><b>BA2432</b>                                                     | <b>B2433</b><br><b>BA2433</b>                                                     | <b>B2421*</b><br><b>BA2421*</b>                                                   | <b>B2422</b><br><b>BA2422</b>                                                      | <b>B2423</b><br><b>BA2423</b>                                                       | <b>B2427*</b><br>—                                                                  | <b>B2429*</b><br>—                                                                  |
| <b>Min. Depth of Pour</b>                                                                                                        | 3.75" (95.3)                                                                      | 3.75" (95.3)                                                                      | 3.75" (95.3)                                                                      | 2.75" (69.9)                                                                      | 2.75" (69.9)                                                                       | 2.75" (69.9)                                                                        | 3.75" (95.3)                                                                        | 2.75" (69.9)                                                                        |
| <b>Adjustability</b>                                                                                                             | Fully                                                                             | Fully                                                                             | Fully                                                                             | Fully                                                                             | Fully                                                                              | Fully                                                                               | Fully                                                                               | Fully                                                                               |
| <b>Cubic Inch (cm³)</b><br><b>Capacity Per Gang</b>                                                                              | 60.0 cu. in.<br>(983.2 cm³)                                                       | 52.8 cu. in.<br>(865.2 cm³)                                                       | 50.8 cu. in.<br>(832.5 cm³)                                                       | 39.5 cu. in.<br>(647.3 cm³)                                                       | 35.0 cu. in.<br>(573.5 cm³)                                                        | 34.0 cu. in.<br>(557.2 cm³)                                                         | 54.0 cu. in.<br>(884.9 cm³)                                                         | 37.3 cu. in.<br>(611.2 cm³)                                                         |
| <b>Dimensions – A</b>                                                                                                            | 3.72" (94.5)                                                                      | 3.72" (94.5)                                                                      | 3.72" (94.5)                                                                      | 2.74" (69.6)                                                                      | 2.74" (69.6)                                                                       | 2.74" (69.6)                                                                        | 3.91" (99.3)                                                                        | 2.81" (71.4)                                                                        |
| <b>Dimensions – B</b>                                                                                                            | 4.81" (122.2)                                                                     | 4.81" (122.2)                                                                     | 4.81" (122.2)                                                                     | 4.81" (122.2)                                                                     | 4.81" (122.2)                                                                      | 4.81" (122.2)                                                                       | 4.81" (122.2)                                                                       | 4.81" (122.2)                                                                       |
| <b>Dimensions – C</b>                                                                                                            | 6.00" (152.4)                                                                     | 9.25" (235.0)                                                                     | 12.50" (317.5)                                                                    | 6.00" (152.4)                                                                     | 9.25" (235.0)                                                                      | 12.50" (317.5)                                                                      | 6.00" (152.4)                                                                       | 6.00" (152.4)                                                                       |
| <b>Dimensions – D</b>                                                                                                            | 4.38" (111.3)                                                                     | 4.38" (111.3)                                                                     | 4.38" (111.3)                                                                     | 4.38" (111.3)                                                                     | 4.38" (111.3)                                                                      | 4.38" (111.3)                                                                       | 4.38" (111.3)                                                                       | 4.38" (111.3)                                                                       |
| <b>Dimensions – E</b>                                                                                                            | 3.19" (81.0)                                                                      | 6.44" (163.6)                                                                     | 9.67" (245.6)                                                                     | 3.19" (81.0)                                                                      | 6.44" (163.6)                                                                      | 9.67" (245.6)                                                                       | 3.19" (81.0)                                                                        | 3.19" (81.0)                                                                        |
| <b>Knockouts – Sides</b>                                                                                                         | (1) ¼", 1", 1¼"                                                                   | (2) ¼", 1", 1¼"                                                                   | (3) ¼", 1", 1¼"                                                                   | (2) ½", (1) ¾"                                                                    | (4) ½", (1) ¾"                                                                     | (6) ½", (1) ¾"                                                                      | (1) ½", (1) 1¼"                                                                     | (2) ½", (1) ¾"                                                                      |
| <b>Knockouts – Ends</b>                                                                                                          | (1) ¼", 1", 1¼"                                                                   | (1) ¼", 1", 1¼"                                                                   | (1) ¼", 1", 1¼"                                                                   | (1) ½", (1) ¾"                                                                    | (2) ½", (1) ¾"                                                                     | (2) ½", (1) ¾"                                                                      | (1) ¾", (1) 1"                                                                      | (1) ½", (1) ¾"                                                                      |
| <b>Knockouts – Bottom</b>                                                                                                        | (2) ¾", 1", 1¼"                                                                   | (4) ¾", 1", 1¼"                                                                   | (6) ¾", 1", 1¼"                                                                   | (2) ¾", 1", 1¼"                                                                   | (4) ¾", 1", 1¼"                                                                    | (6) ¾", 1", 1¼"                                                                     | (3) ½", (2) ¾"                                                                      | (3) ½", (2) ¾"                                                                      |
| <b>Concrete Cover Included</b>                                                                                                   | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                  | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
| <b>Closure Plugs Included</b>                                                                                                    | —                                                                                 | —                                                                                 | —                                                                                 | —                                                                                 | —                                                                                  | —                                                                                   | —                                                                                   | —                                                                                   |
| <b>Removable LV Barrier</b>                                                                                                      | —                                                                                 | ✓                                                                                 | ✓                                                                                 | —                                                                                 | ✓                                                                                  | ✓                                                                                   | —                                                                                   | —                                                                                   |

Notes: UL File Number E92074.

CSA File Number LR18416.

\* Suitable for single service applications only.

## Flush Rectangular Floor Box Covers

|                             |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |
|-----------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Brass                       | <b>S3825</b>                                                                        | <b>S3625</b>                                                                        | <b>S3826</b>                                                                        | <b>S2425</b>                                                                        | <b>S2625</b>                                                                        | <b>S2825</b>                                                                          | <b>S3425</b>                                                                          | <b>S3813</b>                                                                          |
| Aluminum                    | <b>SA3825</b>                                                                       | <b>SA3625</b>                                                                       | <b>SA3826</b>                                                                       | <b>SA2425</b>                                                                       | <b>SA2625</b>                                                                       | —                                                                                     | —                                                                                     | <b>SA3813</b>                                                                         |
| Dimensions<br>4.15" x 2.99" |  |  |  |  |  |  |  |  |
|                             | Duplex<br>Flap                                                                      | Duplex<br>Screw                                                                     | Style Line®<br>Opening                                                              | 2 1/8" x 3/4"<br>Combination                                                        | 2 1/8" x 1"<br>Combination                                                          | 2 1/8" Single<br>Receptacle                                                           | 2 3/8" Single<br>Receptacle                                                           | Blank                                                                                 |

## Carpet Flanges

### Tapered Flange

Number of Gangs  
Dimensions  
Brass  
Aluminum  
Clear Polycarbonate

1-Gang  
6.00" x 4.85"  
**SB3083**  
**SA3083**  
**S3083**



2-Gang  
6.00" x 8.13"  
**SB3084**  
**SA3084**  
**S3084**



3-Gang  
6.00" x 11.34"  
**SB3085**  
**SA3085**  
**S3085**






## Recessed 4- and 8-Gang Concrete Floor Boxes

**ScrubShield™**  
Complies with UL514A



| Dimensions Inches (mm)                                                            | Stamped Steel                                                                                             |                                                                                                           |                                                                                                            | Cast Iron                                                                                                 |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| Style                                                                             | 4-Gang Deep                                                                                               | 4-Gang Shallow                                                                                            | 8-Gang Deep                                                                                                | 4-Gang Shallow                                                                                            |
|  | <br><b>HBLCFB301BASE</b> | <br><b>HBLCFB401BASE</b> | <br><b>HBLCFB501BASE</b> | <br><b>HBLCFB401CB</b> |
| <b>Min. Depth of Pour</b>                                                         | 4.25" (107.6)                                                                                             | 3.00" (76.2)                                                                                              | 5.25" (133.4)                                                                                              | 3.25" (82.6)                                                                                              |
| <b>Adjustability</b>                                                              | Fully                                                                                                     | Fully                                                                                                     | Fully                                                                                                      | Fully                                                                                                     |
| <b>Cubic Inch (cm³) Capacity Per Chamber</b>                                      | 29.5 cu. in.<br>(483.4 cm³)                                                                               | 25.5 cu. in.<br>(417.9 cm³)                                                                               | 49.5 cu. in.<br>(811.2 cm³)                                                                                | 25.5 cu. in.<br>(417.9 cm³)                                                                               |
| <b>Dimensions – A</b>                                                             | 4.0" (101.6)                                                                                              | 2.63" (66.8)                                                                                              | 5.13" (130.3)                                                                                              | 3.13" (79.5)                                                                                              |
| <b>Dimensions – B</b>                                                             | 10.0" (254.0)                                                                                             | 10.0" (254.0)                                                                                             | 10.0" (254.0)                                                                                              | 10.0" (254.0)                                                                                             |
| <b>Dimensions – C</b>                                                             | 10.0" (254.0)                                                                                             | 10.0" (254.0)                                                                                             | 10.0" (254.0)                                                                                              | 10.0" (254.0)                                                                                             |
| <b>Threaded Access Holes – Per Chamber</b>                                        | –                                                                                                         | –                                                                                                         | –                                                                                                          | (2) 1"                                                                                                    |
| <b>Knockouts – Per Chamber</b>                                                    | (1) Concentric ½", ¾"<br>(1) Concentric ¾", 1"<br>(1) 1¼"                                                 | (3) Concentric ½", ¾"                                                                                     | (1) Concentric ½", ¾"<br>(1) Concentric ¾", 1"<br>(1) 1¼"                                                  | –                                                                                                         |
| <b>Concrete Cover Included</b>                                                    | ✓                                                                                                         | ✓                                                                                                         | ✓                                                                                                          | ✓                                                                                                         |
| <b>Closure Plugs Included</b>                                                     | –                                                                                                         | –                                                                                                         | –                                                                                                          | ✓                                                                                                         |

Notes: UL File Number E197203.  
CSA File Number LR702145.

### Floor Box Covers

#### Die Cast Zinc Cover and Flange Assembly

Dimensions 10.69" x 10.69"

**HBLTCGNTSW**



Granite

**HBLTCGNTBKS**



Black

### Hubbell – Screw Type Face Plates\*

**HBLST302SGY**



Duplex

**HBLDE301SGY**



Style Line®

**HBLT0310SGY**



Toggle

**HBLTL318GY**



Single Receptacle  
(1.56" Boss Dia.)

**HBLTL319SGY**



Single Receptacle  
(1.39" Boss Dia.)

**HBLBL300SGY**



Blank

**HBLIMFSGY**



Hubbell iSTATION™  
(See pages 166 & 167  
for module options)

**HBL317SGY**



Hubbell  
6-Port

### Open Systems – Screw Type Face Plates\*

**HBLAM303SGY**



AMP-ACO

**HBLAMP313SGY**



AMP 6-Port

**HBLKR314SGY**



Krone®/Leviton®

**HBLLT309SGY**



SYSTIMAX®

**HBLPA308SGY**



Panduit  
Mini-Com®

**HBLN0309SGY**



NORDX® 6-Port  
(Cat. 5e jacks only)

**HBLSI305SGY**



Siemon  
CT® Series

**HBLSI315SGY**



Siemon  
MAX® Series

**HBLOR306SGY**



Ortronics  
Series II®

**HBLORT322SGY**



Ortronics  
TracJack®

Note: \*Catalog number indicated is gray, replace "GY" with the following to designate color: "BK" for Black, "WA" for White, "I" for Ivory.

AMP is a registered trademark of Tyco Electronics Corp. Krone® is a registered trademark of Krone, Inc. Leviton® is a registered trademark of Leviton. SYSTIMAX® is a registered trademark of CommScope, Inc. Mini-Com® and Panduit® are registered trademarks of Panduit Corp. NORDX® is a registered trademark of Belden/CDT, Inc. MAX® and CT® Series are registered trademarks of The Siemon Company. TracJack®, Series II® and Ortronics® are registered trademarks of Ortronics/Legrand.




Nobody delivers like Hubbell Commercial Solutions

# Recessed 6-Gang Concrete Floor Boxes

**ScrubShield™**  
Complies with UL514A



| Dimensions Inches (mm)                                                                            | Stamped Steel                                                                                                        | Cast Iron                                                                                                             |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>Style</b><br> | <b>6-Gang</b><br><br><b>LCFBSSA</b> | <b>6-Gang</b><br><br><b>LCFBCA</b> |
| <b>Min. Depth of Pour</b>                                                                         | 3.50" (88.9)                                                                                                         | 3.65" (92.7)                                                                                                          |
| <b>Adjustability</b>                                                                              | Fully                                                                                                                | Fully                                                                                                                 |
| <b>Cubic Inch (cm³) Capacity Per Chamber</b>                                                      | (4) at 38.2 cu. in. (626.0 cm³)<br>(2) at 25.4 cu. in. (416.2 cm³)                                                   | (4) at 36.8 cu. in. (603.0 cm³)<br>(2) at 25.4 cu. in. (416.2 cm³)                                                    |
| <b>Dimensions – A</b>                                                                             | 6.18" (157.0)                                                                                                        | 6.35" (161.3)                                                                                                         |
| <b>Dimensions – B</b>                                                                             | 12.95" (328.9)                                                                                                       | 13.11" (333.0)                                                                                                        |
| <b>Dimensions – C</b>                                                                             | 12.95" (328.9)                                                                                                       | 13.11" (333.0)                                                                                                        |
| <b>Threaded Access Holes – Per Chamber</b>                                                        | –                                                                                                                    | (1) ¾"<br>(1) 1¼"                                                                                                     |
| <b>Knockouts – Per Chamber</b>                                                                    | (1) Concentric 1", 1¼"<br>(1) ¾"                                                                                     | –                                                                                                                     |
| <b>Concrete Cover Included</b>                                                                    | ✓                                                                                                                    | ✓                                                                                                                     |
| <b>Closure Plugs Included</b>                                                                     | –                                                                                                                    | ✓                                                                                                                     |
| <b>Cover Mounting Brackets Included</b>                                                           | ✓                                                                                                                    | ✓                                                                                                                     |

Notes: UL File Number E31999.  
CSA File Number LR18416.

## Floor Box Covers Recessed Floor Box Covers

|                                                                                                                 |                                     |                                                  |                                                  |                                                                                       |
|-----------------------------------------------------------------------------------------------------------------|-------------------------------------|--------------------------------------------------|--------------------------------------------------|---------------------------------------------------------------------------------------|
| Smooth Metallic Cover,<br>Flange and Cable Doors<br>for Carpet Applications                                     | Cover Dimensions<br>10.30" x 10.30" | Aluminum Finish<br>Brass Finish<br>Black<br>Gray | LCFBCALT<br>LCFBCBRSTC<br>LCFBCBKTC<br>LCFBCGYTC |  |
| Metallic Cover,<br>Flange and Cable Doors<br>for Carpet Applications –<br>Carpet Insert Required                | Cover Dimensions<br>10.30" x 10.30" | Aluminum Finish<br>Brass Finish<br>Black<br>Gray | LCFBCALC<br>LCFBCBRSC<br>LCFBCBKC<br>LCFBCGYC    |  |
| Reinforced Non-Metallic Cover,<br>Flange and Cable Doors<br>for Carpet Applications –<br>Carpet Insert Required | Cover Dimensions<br>10.30" x 10.30" | Black<br>Brown<br>Gray<br>Ivory                  | LCFBCBKA<br>LCFBCBRA<br>LCFBCGYA<br>LCFBCIA      |  |
| Smooth Metallic Cover and<br>Cable Doors for Tile Applications                                                  | Cover Dimensions<br>8.31" x 7.70"   | Aluminum Finish<br>Brass Finish<br>Black<br>Gray | LCFBCALT<br>LCFBCBRST<br>LCFBCBKT<br>LCFBCGYT    |  |

## Face Plates

|                                                                                                                |                                                                                                                      |                                                                                                                                                      |                                                                                                                                                                          |                                                                                                                  |
|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| <b>LCFBP8</b><br><br>Duplex | <b>LCFBP26</b><br><br>Style Line® | <b>LCFBP720</b><br><br>Single Receptacle<br>(for 1.56" boss dia.) | <b>LCFBIM</b><br><br>3-Unit iSTATION™<br>(See pages 166 & 167<br>for module options) | <b>LCFBP14</b><br><br>Blank |
|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|

## Recessed 3-Service Concrete Floor Boxes

**ScrubShield™**  
Complies with UL514A



| Dimensions Inches (mm)                                  | Stamped Steel                                                                    | Cast Iron                                                       |
|---------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------|
|                                                         | <br><b>3SFBS</b>                                                                 | <br><b>3SFBC</b>                                                |
| <b>Min. Depth of Pour</b>                               | 3.00" (76.2)                                                                     | 3.00" (76.2)                                                    |
| <b>Adjustability</b>                                    | Fully                                                                            | Fully                                                           |
| <b>Cubic Inch (cm<sup>3</sup>) Capacity Per Chamber</b> | 22.4 cu. in. (367.1 cm <sup>3</sup> )                                            | 21.6 cu. in. (354.0 cm <sup>3</sup> )                           |
| <b>Dimensions – A</b>                                   | 12.20" (309.9)                                                                   | 12.88" (327.2)                                                  |
| <b>Dimensions – B</b>                                   | 5.52" (140.2)                                                                    | 6.00" (152.4)                                                   |
| <b>Dimensions – C</b>                                   | 2.88" (73.2)                                                                     | 3.00" (76.2)                                                    |
| <b>Threaded Access Holes</b>                            | –                                                                                | Sides (2) ¾"<br>Ends (1) 1¼"<br>Center Area (1) 1¼" (each side) |
| <b>Knockouts</b>                                        | Sides (2) ¾"<br>Ends (1) 1"<br>Center Area (1) Concentric 1",<br>1¼" (each side) | –                                                               |
| <b>Concrete Cover Included</b>                          | ✓                                                                                | ✓                                                               |
| <b>Closure Plugs Included</b>                           | –                                                                                | –                                                               |

Notes: UL File Number E31999.  
CSA File Number LR18416.

## Recessed Floor Box Covers – Carpet Applications

Reinforced Non-Metallic Cover,  
Flange and Cable Doors –  
Carpet Insert Required –  
Dimensions  
11.88" x 5.20"

**3SFBCBRA**



Brown

**3SFBCIA**



Ivory

**3SFBCGYA**



Gray

**3SFBCBKA**



Black

## Face Plates

**3SFBRP**



Duplex  
Knockout

**3SFBDS**



Style Line®  
Opening

**3SFBS**



Single Receptacle  
Opening  
(for 1.39" boss dia.)

**3SFBF**



Blank

**3SFBTP**



Voice/Data  
(2) Jack Knockouts  
(.6" x .75")

**3SFBIM**





3-Unit iSTATION™  
Opening (See pages  
166 & 167 for  
module options)



# Flush Floor Boxes for Wooden Floors

**ScrubShield™**  
Complies with UL514A



| Dimensions Inches (mm)                                                            |                                                                                                                      | Rectangular Stamped Steel                                                                                           |                                                                                                                    |                                                                                                                     | Round Cast Iron                                                                                                       |                                                                                                                          |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
|  | <br><b>Collar Material</b><br>Brass | <b>1-Gang</b><br><br><b>B2481*</b> | <b>2-Gang</b><br><br><b>B2482</b> | <b>3-Gang</b><br><br><b>B2483</b> | <b>1-Gang</b><br><br><b>B2588*</b> | <b>1-Gang</b><br><br><b>B2588275*</b> |
| <b>Adjustability</b>                                                              |                                                                                                                      | Semi                                                                                                                | Semi                                                                                                               | Semi                                                                                                                | Non                                                                                                                   | Non                                                                                                                      |
| <b>Cubic Inch (cm³) Capacity Per Gang</b>                                         |                                                                                                                      | 42.0 cu. in.<br>(658.3 cm³)                                                                                         | 42.5 cu. in.<br>(696.5 cm³)                                                                                        | 42.5 cu. in.<br>(696.5 cm³)                                                                                         | 18.5 cu. in.<br>(303.2 cm³)                                                                                           | 18.5 cu. in.<br>(303.2 cm³)                                                                                              |
| <b>Dimensions – A</b>                                                             |                                                                                                                      | 3.13" (79.5)                                                                                                        | 3.13" (79.5)                                                                                                       | 3.13" (79.5)                                                                                                        | 3.65" (92.7)                                                                                                          | 3.65" (92.7)                                                                                                             |
| <b>Dimensions – B</b>                                                             |                                                                                                                      | 4.50" (114.3)                                                                                                       | 4.50" (114.3)                                                                                                      | 4.50" (114.3)                                                                                                       | 3.22" (81.8)                                                                                                          | 3.22" (81.8)                                                                                                             |
| <b>Dimensions – C</b>                                                             |                                                                                                                      | 3.20" (81.3)                                                                                                        | 6.42" (163.1)                                                                                                      | 9.64" (244.9)                                                                                                       | 4.09" (103.9)                                                                                                         | 4.09" (103.9)                                                                                                            |
| <b>Threaded Access Holes</b>                                                      |                                                                                                                      | –                                                                                                                   | –                                                                                                                  | –                                                                                                                   | Bottom (2) ½"                                                                                                         | Sides (2) ¾"<br>Bottom (2) ½"                                                                                            |
| <b>Knockouts – Sides</b>                                                          |                                                                                                                      | (1) ½", ¾", 1"                                                                                                      | (2) ½", ¾", 1"                                                                                                     | (3) ½", ¾", 1"                                                                                                      | –                                                                                                                     | –                                                                                                                        |
| <b>Knockouts – Ends</b>                                                           |                                                                                                                      | –                                                                                                                   | –                                                                                                                  | –                                                                                                                   | –                                                                                                                     | –                                                                                                                        |
| <b>Knockouts – Bottom</b>                                                         |                                                                                                                      | (1) ½" - 1¼"                                                                                                        | (2) ½" - 1¼"                                                                                                       | (3) ½" - 1¼"                                                                                                        | –                                                                                                                     | –                                                                                                                        |
| <b>Debris Cover Included</b>                                                      |                                                                                                                      | ✓                                                                                                                   | ✓                                                                                                                  | ✓                                                                                                                   | –                                                                                                                     | –                                                                                                                        |
| <b>Closure Plugs Included</b>                                                     |                                                                                                                      | –                                                                                                                   | –                                                                                                                  | –                                                                                                                   | ✓                                                                                                                     | ✓                                                                                                                        |
| <b>Removable LV Barrier</b>                                                       |                                                                                                                      | –                                                                                                                   | ✓                                                                                                                  | ✓                                                                                                                   | –                                                                                                                     | –                                                                                                                        |

Notes: UL File Number E31999.

CSA File Number LR18416.

\* Suitable for single service applications only.

## Rectangular Covers

Brass  
Aluminum  
Dimensions  
4.15" x 2.99"



Duplex  
Flap



Duplex  
Screw



Style Line®  
Opening



2 1/8" x 3/4"  
Combination



2 1/8" x 1"  
Combination



2 1/8" Single  
Receptacle



2 3/8" Single  
Receptacle



Blank

## Round Covers

Brass  
Aluminum  
3.88" Dia.



Duplex  
Flap



Duplex  
Screw



2 1/8" x 3/4"  
Comb.



2 1/8" x 1"  
Comb.



2 1/8" Single  
Receptacle



2 3/8" Single  
Receptacle



2 1/8" Single Rec.  
(Terrazzo Floor)

## Round Flanges

S3182 SA3182 5.25" Dia.  
S3082 6.25" Dia.



## Rectangular Flanges (Required)


Brass  
Aluminum



1-Gang  
Dimensions 6.00" x 4.85"



2-Gang  
Dimensions 6.00" x 8.13"



3-Gang  
Dimensions 6.00" x 11.34"

## One Piece Brass Cover and Carpet Flange

Brass  
6.25" Dia.



Duplex  
Flap



2 1/8" x 3/4"  
Combination



2 1/8" x 1"  
Combination



2 1/8" Single  
Receptacle