

PRODUCT DATASHEET

LED 14.5W FR 3000K 6PK

SYLVANIA ECO LED A19 Lamps | SYLVANIA ECO LED A19 offers quality LED lighting at an affordable price



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- Lasts up to 11 times longer than incandescent lamps
- No warm-up time, instant-on with full light output and stable color
- CRI 80
- 7,700 hours (L70)



TECHNICAL DATA

Additional product data

Base type	E26
Mercury content	0.0 mg
Mercury-free	Yes
Ordering Abbreviation	ECOLED14.5A19F8307YVRP6
Abbrev. With Packaging Info.	ECOLED14.5A19F8307YVRP6 18/CS 6/SKU
SKU UPC	0046135412103
NAED	41210
Family Brand Name	ECO LED
General Description	LED A19, 14.5W 80CRI, 1450 Lumen, 3000K, 7700 Life, E26 Medium Base,FROSTED Finish
Warranty	1 year

Electrical data

Nominal Wattage	14.50 W
Nominal voltage	120.00 V
Claimed Equivalent Lamp Pwr	100 W
Supply Frequency	50...60 Hz

Photometrical data

Lumens	1450 lm
Efficacy	100
Color Temperature/CCT	3000 K
Color Rendering Index (CRI)	80
Light color	830

Dimensions & Weight

Overall length	108.99 mm
Diameter	2.36 in
Product weight	0.21 lb

Materials & Colors

Lamp Finish	Frosted
Bulb shape	A19
Bulb Glass Type	PLASTICS

Application & Mounting

Dimming	No
---------	----

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

Lifespan

Average Rated Life (hr)	7700
-------------------------	------

Capabilities

Dimming	No
---------	----

Certificates & Standards

Certification Listing	cULus / FCC / FTC / RoHS
-----------------------	--------------------------

Logistical data

SKU Qty	6
Case Qty	18
Case Length (in)	14.188
Case Width (in)	6.750
Case Depth (in)	4.938
Case Cube (ft)	0.274
Case Weight (lbs)	4.731
SKU UPC	0046135412103
Pallet Qty	2,916

Safety advice

- Approved for use in totally enclosed fixtures.
- Suitable for damp locations.
- Non-dimmable.
- -4°F and + 113°F (-20°C and +45°C)

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product Family Spec Sheet	ECOLED A19

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.