

# PRODUCT DATASHEET

## ECO LED Reflector BR30 10W ECOLED DIM 2700K 4PK

SYLVANIA ECO LED Reflectors | Environmentally friendly traditional replacement reflectors



### Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

### Product features

- This lasting, economical line of LED lamps provides the perfect lighting solution for any budget
- Lasts up to 4x longer than incandescent lamps
- No warm-up time, instant-on with full light output and stable color
- 7,700 hours (L70)
- Dimmable down to 10 %



TECHNICAL DATA

Additional product data

|                              |                                                                |
|------------------------------|----------------------------------------------------------------|
| Base type                    | E26                                                            |
| Mercury content              | 0.0 mg                                                         |
| Mercury-free                 | Yes                                                            |
| Ordering Abbreviation        | ECOLED9BR30DIM8277YVRP4                                        |
| Abbrev. With Packaging Info. | ECOLED9BR30DIM8277YVRP4 16/CS 4/SKU                            |
| SKU UPC                      | 0046135408700                                                  |
| NAED                         | 40870                                                          |
| Family Brand Name            | ECO LED                                                        |
| General Description          | ECO LED BR30, 9W, Dimmable, 80CRI, 650 Lumen, 2700K, 7700 life |

Electrical data

|                             |            |
|-----------------------------|------------|
| Nominal Wattage             | 9.00 W     |
| Nominal voltage             | 120.00 V   |
| Claimed Equivalent Lamp Pwr | 65 W       |
| Type of current             | AC         |
| Supply Frequency            | 50...60 Hz |

Photometrical data

|                             |        |
|-----------------------------|--------|
| Lumens                      | 650 lm |
| Efficacy                    | 72     |
| Color Temperature/CCT       | 2700 K |
| Color Rendering Index (CRI) | 80     |
| Light color                 | 827    |

Dimensions & Weight

|                |           |
|----------------|-----------|
| Overall length | 127.00 mm |
| Diameter       | 3.74 in   |
| Product weight | 0.18 lb   |

Materials & Colors

|                 |          |
|-----------------|----------|
| Lamp Finish     | Frosted  |
| Bulb shape      | BR30     |
| Bulb Glass Type | PLASTICS |

Application & Mounting

|         |     |
|---------|-----|
| Dimming | Yes |
|---------|-----|

### Lifespan

|                         |      |
|-------------------------|------|
| Average Rated Life (hr) | 7700 |
|-------------------------|------|

### Capabilities

|         |     |
|---------|-----|
| Dimming | Yes |
|---------|-----|

### Certificates & Standards

|                       |                                |
|-----------------------|--------------------------------|
| Certification Listing | RoHS / CSA / FCC / FTC / cULus |
|-----------------------|--------------------------------|

### Logistical data

|                   |               |
|-------------------|---------------|
| SKU Qty           | 4             |
| Case Qty          | 16            |
| Case Length (in)  | 16.496        |
| Case Width (in)   | 12.559        |
| Case Depth (in)   | 5.669         |
| Case Cube (ft)    | 0.680         |
| Case Weight (lbs) | 4.424         |
| SKU UPC           | 0046135408700 |
| Pallet Qty        | 1,024         |

### Safety advice

- -4°F to +104°F (-20°C to +40°C)
- Not for use in totally enclosed fixtures.
- Suitable for damp locations.

### DOWNLOAD DATA

| Spec Sheets and Product Documents                                                  |                           | Document name |
|------------------------------------------------------------------------------------|---------------------------|---------------|
|  | Product Family Spec Sheet | ECO LED BR30  |

### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.