

PRODUCT DATASHEET

ECO LED Reflector BR30 10W ECOLED DIM 3000K 4PK

SYLVANIA ECO LED Reflectors | Environmentally friendly traditional replacement reflectors



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- This lasting, economical line of LED lamps provides the perfect lighting solution for any budget
- Lasts up to 4x longer than incandescent lamps
- No warm-up time, instant-on with full light output and stable color
- 7,700 hours (L70)
- Dimmable down to 10 %



TECHNICAL DATA

Additional product data

Base type	E26
Mercury content	0.0 mg
Mercury-free	Yes
Ordering Abbreviation	ECOLED9BR30DIM8307YVRP4
Abbrev. With Packaging Info.	ECOLED9BR30DIM8307YVRP4 16/CS 4/SKU
SKU UPC	0046135411014
NAED	41101
Family Brand Name	ECO LED
General Description	ECO LED BR30, 9W, Dimmable, 80CRI, 650 Lumen, 3000K, 7700 life
Warranty	1 year

Electrical data

Nominal Wattage	9.00 W
Nominal voltage	120.00 V
Claimed Equivalent Lamp Pwr	65 W
Type of current	AC
Supply Frequency	50...60 Hz

Photometrical data

Lumens	650 lm
Efficacy	72
Color Temperature/CCT	3000 K
Color Rendering Index (CRI)	80
Light color	830

Dimensions & Weight

Overall length	127.00 mm
Diameter	3.74 in
Product weight	0.18 lb

Materials & Colors

Lamp Finish	Frosted
Bulb shape	BR30
Bulb Glass Type	PLASTICS

Application & Mounting

Dimming	Yes
---------	-----

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

Lifespan

Average Rated Life (hr)	7700
-------------------------	------

Capabilities

Dimming	Yes
---------	-----

Certificates & Standards

Certification Listing	CSA / cULus / FCC / FTC / RoHS
-----------------------	--------------------------------

Logistical data

SKU Qty	4
Case Qty	16
Case Length (in)	16.496
Case Width (in)	12.559
Case Depth (in)	5.669
Case Cube (ft)	0.680
Case Weight (lbs)	4.424
SKU UPC	0046135411014
Pallet Qty	1,024

Safety advice

- -4°F to +104°F (-20°C to +40°C)
- Not for use in totally enclosed fixtures.
- Suitable for damp locations.

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product Family Spec Sheet	ECO LED BR30

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.