

PRODUCT DATASHEET

EMBB BOX 2A 8W DC BZ

SYLVANIA Emergency Battery Backup DC Wiring | SYLVANIA Emergency Battery Backup EMBB with DC Wiring



Areas of application

- Offices
- Retail
- Closet storage spaces when installed per NEC 410.16 requirements
- Educational sector
- Hallways
- Low-bay

Product features

- Provides a minimum of 90 minutes of emergency illumination during outages
- UL 924 compliant for emergency lighting safety
- DC output for broad compatibility with LED luminaires
- Available in external and in-fixture styles
- Ideal for applications needing maximum flexibility across luminaire types



TECHNICAL DATA

Additional product data

Ordering Abbreviation	EMBBBOX2A/8W/DC/BZ
Abbrev. With Packaging Info.	EMBBBOX2A8WDCBZ 1/CS 1/SKU
NAED	61396
General Description	Emergency battery backup in surface mount IP65 rated junction box, 8 W, with test button, bronze painted finish.

Electrical data

Nominal Wattage	8.00 W
Nominal voltage	120...277 V
Supply Frequency	60 Hz

Dimensions & Weight

Length	9.84 in
Width	6.34 in
Height	2.45 in
Product weight	3.5 lb

Application & Mounting

Dimming	No
Number of Lamps	1

Temperatures & operating conditions

Ambient temperature range	-40...+50 °C
Temperature range in operation	-40...+50 °C

Capabilities

Dimming	No
---------	----

Certificates & Standards

Certification Listing	RoHS / FCC / cULus
Type of protection	IP65

Logistical data

Case Qty	1
Case Length (in)	11.000

Case Width (in)	7.992
Case Depth (in)	3.000
Case Cube (ft)	0.153
Case Weight (lbs)	4.501
Pallet Qty	320

Optional accessories

Product image	Product name	UPC
	EMBB METAL BRIDGE 1x4 2x2 2x4	OS63217
	PANEL LED 2x2 and 2x4	OS61682
	EMBB METAL BRIDGE 1x4	OS61683

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product Family Spec Sheet	Cut Sheet/PIB_SYLVANIA Slim Wall Pack
	Product Family Spec Sheet	Cut Sheet/PIB SYLVANIA Canopy 10in

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.