

PRODUCT DATASHEET

EMERGENCY EXIT SIGN WT 120-277V 6X1

EMERGENCY LIGHTS STANDARD | SYLVANIA LED Emergency Lights with standard options



Areas of application

- Emergency illumination of escape routes
- Antipanic lighting
- Offices, education, public buildings

Product features

- Slim profile, lightweight, easy to install exit sign that replaces traditional incandescent and fluorescent exit signs
- Bright, energy-efficient LEDs provide energy savings up to 91%
- Surface mounting
- 6500K color temperature
- CRI > 80
- Offered in 2.2 watts



TECHNICAL DATA

Additional product data

Ordering Abbreviation	EMLIGHT1A/3DVTHS/S/WH
Abbrev. With Packaging Info.	EMLIGHT1A3DVTHSSWH 6/CS 1/SKU
SKU UPC	0046135607639
NAED	60763
General Description	EMERGENCY LIGHT 1A, 3 WATTS, DUAL VOLTAGE, TWIN HEAD SQUARE, SURFACE MOUNTED, WHITE
Warranty	5 years

Electrical data

Nominal Wattage	2.40 W
Nominal voltage	120.00...277.00 V
Power factor	≥0.90
Total Harmonic Distortion	≤ 20 %

Photometrical data

Lumens	214 lm
Efficacy	89 lm/W
Color Temperature/CCT	6500 K
Color Rendering Index (CRI)	80
Luminaire Type	Emergency lighting

Dimensions & Weight

Length	13.46 in
Width	3.46 in
Height	4.29 in
Product weight	1.36 lb

Materials & Colors

Luminaire Finish	White
Housing color	White
Housing	Acrylonitrile butadiene styrene (ABS)
Mercury content	0.0 mg

Application & Mounting

Ambient temperature range	+10...+40 °C
---------------------------	--------------

Maximum Operating Temperature	104 °F
Minimum Operating Temperature	50 °F
Dimming	No
Mounting	Surface
Indoor/Outdoor	Indoor
Replaceable light source	No
Primary Lamp Type	SMD

Lifespan

Average Rated Life (hr)	150000
-------------------------	--------

BATTERY

Battery size [GMS]	Others
--------------------	--------

Logistical data

SKU Qty	1
Case Qty	6
Case Length (in)	15.157
Case Width (in)	14.173
Case Depth (in)	7.874
Case Cube (ft)	0.979
Case Weight (lbs)	11.861
SKU UPC	0046135607639
Pallet Qty	270

Certificates & Standards

Certification Listing	cULus / FCC / RoHS
Replaceable light source (EPREL)	Not replaceable

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Installation Guide	Installation Guide Emergency Lights
	Product Family Spec Sheet	ValueLED Emergency Lights

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.