

PRODUCT DATASHEET

L 13W CW

SYLVANIA Preheat T5 | Miniature preheat T5 lamps for magnetic ballast systems with starter use



Product features

- 6 inch lamps available in Cool White phosphor
- 9 inch lamps available in Cool White phosphor
- 12 inch lamps available in Soft (Warm) White and Cool White phosphor
- 21 inch lamps available in Soft (Warm) White and Cool White phosphor



TECHNICAL DATA

Additional product data

Base type	G5
Mercury content	2.6 mg
Design / version	Basic T5 short tubular, G5 base
Ordering Abbreviation	F13T5/CW
Abbrev. With Packaging Info.	F13T5CW 25/CS 1/SKU
SKU UPC	0046135213687
NAED	21368
General Description	13W T5 preheat fluorescent lamp, Cool White phosphor, 4100K color temperature, 60 CRI. 7500 Avg rated life at 3 hrs/start

Electrical data

Nominal Wattage	13.00 W
Rated lamp efficacy (HF data 25 °C)	Under clarification by authority and standardization body

Photometrical data

Lumens	830 lm
Efficacy	64
Color Temperature/CCT	4100 K
Color Rendering Index (CRI)	60
Light color	641
Rated lamp efficacy (HF data 25 °C)	Under clarification by authority and standardization body

Dimensions & Weight

Overall length	516.90 mm
Diameter	0.63 in
Tube diameter	16 mm
Product weight	0.1 lb

Materials & Colors

Lamp Finish	Coated
Bulb shape	T5

Application & Mounting

Dimming	No
Starting Method	PREHEAT

Lifespan

Service life	4500 h
Average Rated Life (hr)	7500

Capabilities

Dimming	No
---------	----

Logistical data

SKU Qty	1
Case Qty	25
Case Length (in)	21.457
Case Width (in)	4.055
Case Depth (in)	4.291
Case Cube (ft)	0.216
Case Weight (lbs)	3.388
SKU UPC	0046135213687
Pallet Qty	4,750

Safety advice

- Starter required for operation.
 - Operate on magnetic ballasts.
 - Contains Mercury – Dispose of according to Local, State or Federal laws
-

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.