

PRODUCT DATASHEET

F T5 13W SW BL 16

SYLVANIA Preheat T5 | Miniature preheat T5 lamps for magnetic ballast systems with starter use









Product features

- 6 inch lamps available in Cool White phosphor
- 9 inch lamps available in Cool White phosphor
- 12 inch lamps available in Soft (Warm) White and Cool White phosphor
- 21 inch lamps available in Soft (Warm) White and Cool White phosphor

TECHNICAL DATA

Additional product data

Base type	G5
Mercury content	2.6 mg
Design / version	Basic T5 short tubular, G5 base
Ordering Abbreviation	F13T5SWBL16
Abbrev. With Packaging Info.	F13T5SWBL16 6/CS 1/SKU
SKU UPC	0046135213328
NAED	21332
General Description	13W, 21" MOL, T5, preheat fluorescent lamp with miniature bi-pin bases, Soft White phosphor, 3000K color temperature, 52 CRI, blister package with 6 per case, 1 per SKU

Electrical data

Nominal Wattage	13.00 W
Nominal voltage	95.00 V
Rated lamp efficacy (HF data 25 °C)	Under clarification by authority and standardization body

Photometrical data

Lumens	830 lm
Efficacy	63
Color Temperature/CCT	3000 K
Color Rendering Index (CRI)	50
Light color	530
Rated lamp efficacy (HF data 25 °C)	Under clarification by authority and standardization body

Dimensions & Weight

Overall length	516.90 mm
Diameter	0.63 in
Tube diameter	16 mm
Product weight	0.1 lb

Materials & Colors

Lamp Finish	Coated
Bulb shape	T5

Application & Mounting

Dimming	No
Starting Method	PREHEAT

Lifespan

Service life	4500 h
Average Rated Life (hr)	10000

Capabilities

Dimming	No
---------	----

Logistical data

SKU Qty	1
Case Qty	6
Case Length (in)	4.488
Case Width (in)	2.284
Case Depth (in)	24.173
Case Cube (ft)	0.143
Case Weight (lbs)	1.201
SKU UPC	0046135213328
Pallet Qty	1,824

Safety advice

- Starter required for operation.
- Operate on magnetic ballasts.
- Contains Mercury – Dispose of according to Local, State or Federal laws

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.