

PRODUCT DATASHEET

GARAGE/CANOPY ROUND S025 UNH D 8 SC2 R12 WH P

CANOPY/GARAGE ROUND DUAL BEAM | Dual beam round luminaire that can be used as a Canopy or Garage



PERFOR-
MANCE
CLASS

Areas of application

- Parking garages
- Covered walkways
- Entryways
- Canopy lighting

Product features

- DUAL BEAM: one product seamlessly meets Canopy and Garage Optics requirements
- Up to 160 LPW
- Selectable CCT: 3000/4000/5000K
- CRI > 80
- Selectable wattage and lumen outputs
- Embedded uplight minimizes "cave effect" for a more welcoming space
- CONTROLS READY: sensor receptacle for standalone and LEDVANCE LINK, no wiring
- DLC Premium: assures high energy efficient and eligible for utility rebates
- Integrated photocell that can be disabled in the field
- Emergency Battery Backup options

TECHNICAL DATA

Additional product data

Ordering Abbreviation	GARAGPS025UNHD8SC2R12WHP
Abbrev. With Packaging Info.	GARAGPS025UNHD8SC2R12WHP 2/CS 1/SKU
SKU UPC	0046135620195
NAED	62019
Family Brand Name	PERFORMANCE CLASS™
General Description	GARAGE LUMINAIRE, PFM CLASS, WATTAGE SELECTABLE 15/20/25W, CCT SELECTABLE 3000/4000/5000K, 120-347V, 0-10V DIM, WHITE, PHOTOCELL

Electrical data

Nominal Wattage	15.00/20.00/25.00 W
Nominal voltage	120.00...347.00 V

Photometrical data

Lumens	2400/3200/4000 lm
Efficacy	160 lm/W
Color Temperature/CCT	3000/4000/5000 K
Color Rendering Index (CRI)	80

Dimensions & Weight

Diameter	11.81 in
Height	3.23 in
Product weight	5.75 lb

Materials & Colors

Luminaire Finish	White
Housing color	White
Housing	Aluminum
Mercury content	0.0 mg

Application & Mounting

Dimming	Yes
Type of Dimming	0-10V
Mounting	Surface
Indoor/Outdoor	Outdoor
Replaceable light source	No

Lifespan

Average Rated Life (hr)	100000
-------------------------	--------

Logistical data

SKU Qty	1
Case Qty	2
Case Length (in)	13.150
Case Width (in)	10.000
Case Depth (in)	13.622
Case Cube (ft)	1.037
Case Weight (lbs)	13.214
SKU UPC	0046135620195
Pallet Qty	84

Certificates & Standards

Certification Listing	RoHS / FCC / cULus
-----------------------	--------------------

Optional accessories

Product image	Product name	UPC
	CANOPY MOUNTING PLATE CANOPYA/MTGPLAT	OS60684
	CANOPY MOUNTING PLATE CANOPYA/MTGPLAT	OS60685
	CANOPY MOUNTING PLATE CANOPYA/MTGPLAT	OS60686
	Standalone Commissioning Remote HIBAY/AREA/CANOPY	OS65623
	LINK WIRELESS CONTROLLER 5 KEY BATTERY BLE	OS62636
	LINK CONTROLLER 3.5mm AUX12V BLE	OS62630
	LINK SENSOR PIR 40FT 3.5mm BLE WH	OS62634

Product image	Product name	UPC
	Standalone PIR Motion sensor PIR3-Pin Screw-in 39ft IP65 12V	OS62664
	ADAPTER SENSOR ADAPTER 1A 3-PIN TO 3.5MM	OS63652
	Standalone Microwave Motion Sensor 3-Pin Screw-in 49ft IP65 12V WH	OS65622

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Installation Guide	INSTALL MANUAL ROUND GARAGE DUAL OPTICS
	Product Family Spec Sheet	LEDLUM233 LEDVANCE LUMINAIRES DUAL SELECTABLE ROUND GARAGE/CANOPY

Photometric and lighting design files		Document name
	IES file (IES)	ROUND GARAGE DUAL IES LM79

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.