

PRODUCT DATASHEET

LED TruWave® PAR Lamps PAR30 10.5W

DIM 5000K FL 40 1PK

SYLVANIA TruWave® PAR Lamps | PAR Lamps with exceptional quality lighting with high CRI and reduce blue wavelengths



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- Controls blue wavelengths for lower glare and reduced eye strain to improve readability
- Clean light color rendering for seeing realistic, vivid colors
- Exceptional color quality without the loss of efficacy typical of most 90+ CRI solutions
- Properly saturates red to make building spaces and flesh tones accurate and vibrant
- Up to 85 LPW
- 25,000 hours lifetime (L70)
- 5-year limited warranty
- Dimmable down to 10 %



TECHNICAL DATA

Additional product data

Base type	E26
Mercury content	0.0 mg
Mercury-free	Yes
Ordering Abbreviation	LED10.5PAR30DIM950TLFL40GLRP
Abbrev. With Packaging Info.	LED10.5PAR30DIM950TLFL40GLRP 6/CS 1/SKU
SKU UPC	0046135409172
NAED	40917
Family Brand Name	TruWave™
General Description	LED Natural™ TruWave™ PAR30, 10.5W, Dimmable, 90CRI, 850 Lumen, 5000K,25000 Life, Medium Base, Clear Finish

Electrical data

Nominal Wattage	10.50 W
Nominal voltage	120.00 V
Claimed Equivalent Lamp Pwr	75 W
Type of current	AC
Centerbeam Candlepower (cp)	1,315 cd

Photometrical data

Lumens	850 lm
Efficacy	81
Color Temperature/CCT	5000 K
Color Rendering Index (CRI)	90
Light color	950

Light technical data

Beam angle	40 °
------------	------

Dimensions & Weight

Overall length	92.00 mm
Diameter	3.74 in
Product weight	0.4 lb

Materials & Colors

Lamp Finish	Silver
-------------	--------

Bulb shape	PAR30
Bulb Glass Type	HARDGLASS

Application & Mounting

Dimming	Yes
---------	-----

Lifespan

Average Rated Life (hr)	25000
-------------------------	-------

Capabilities

Dimming	Yes
---------	-----

Certificates & Standards

Certification Listing	RoHS / CSA / FTC / FCC / CEC / cETLus
-----------------------	---------------------------------------

Logistical data

SKU Qty	1
Case Qty	6
Case Length (in)	12.402
Case Width (in)	8.504
Case Depth (in)	5.551
Case Cube (ft)	0.339
Case Weight (lbs)	3.805
SKU UPC	0046135409172
Pallet Qty	768

Safety advice

- Not for use in totally enclosed fixtures.
- Suitable for indoor and outdoor dry, damp and wet locations.
- -4°F to +113°F (-20°C to +45°C)
- Not for use with emergency light fixtures or exit lights.

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product Family Spec Sheet	Natural Series PAR Family

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.