

PRODUCT DATASHEET

LED TruWave® PAR Lamps PAR30 10.5W

DIM 3000K NFL 25 1PK

SYLVANIA TruWave® PAR Lamps | PAR Lamps with exceptional quality lighting with high CRI and reduce blue wavelengths



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- Controls blue wavelengths for lower glare and reduced eye strain to improve readability
- Clean light color rendering for seeing realistic, vivid colors
- Exceptional color quality without the loss of efficacy typical of most 90+ CRI solutions
- Properly saturates red to make building spaces and flesh tones accurate and vibrant
- Up to 85 LPW
- 25,000 hours lifetime (L70)
- 5-year limited warranty
- Dimmable down to 10 %



TECHNICAL DATA

Additional product data

Base type	E26
Mercury content	0.0 mg
Mercury-free	Yes
Ordering Abbreviation	LED10.5PAR30LNDIM930TLNFL25GLR
Abbrev. With Packaging Info.	LED10.5PAR30LNDIM930TLNFL25GLR 6CS 1SKU
SKU UPC	0046135409103
NAED	40910
Family Brand Name	TruWave™
General Description	LED Natural™ TruWave™ PAR30LN, 10.5W, Dimmable, 90CRI, 850 Lumen, 3000K,25000 Life, Medium Base, Clear Finish
Warranty	5 years

Electrical data

Nominal Wattage	10.50 W
Nominal voltage	120.00 V
Claimed Equivalent Lamp Pwr	75 W
Type of current	AC
Centerbeam Candlepower (cp)	2,910 cd

Photometrical data

Lumens	850 lm
Efficacy	81
Color Temperature/CCT	3000 K
Color Rendering Index (CRI)	90
Light color	930

Light technical data

Beam angle	25 °
------------	------

Dimensions & Weight

Overall length	114.00 mm
Diameter	3.74 in
Product weight	0.46 lb

Materials & Colors

Lamp Finish	Clear
Bulb shape	PAR30LN
Bulb Glass Type	HARDGLASS

Application & Mounting

Dimming	Yes
---------	-----

Lifespan

Average Rated Life (hr)	25000
-------------------------	-------

Capabilities

Dimming	Yes
---------	-----

Certificates & Standards

Certification Listing	RoHS / CSA / FTC / FCC / cETLus / CEC
-----------------------	---------------------------------------

Logistical data

SKU Qty	1
Case Qty	6
Case Length (in)	12.402
Case Width (in)	8.504
Case Depth (in)	6.535
Case Cube (ft)	0.399
Case Weight (lbs)	4.362
SKU UPC	0046135409103
Pallet Qty	672

Safety advice

- Not for use in totally enclosed fixtures.
- Suitable for indoor and outdoor dry, damp and wet locations.
- -4°F to +113°F (-20°C to +45°C)
- Not for use with emergency light fixtures or exit lights.

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product Family Spec Sheet	Natural Series PAR Family

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.