

PRODUCT DATASHEET

ULTRA LED™ Motion Sensor PAR Lamps

11.5W PAR38 MOT 3000K 1PK

SYLVANIA Motion Sensor PAR Lamps | PAR Lamps with build in motion sensor and wet rating



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail
- Driveways, back yards, parking lots, and porches
- Residential and commercial

Product features

- Quick and easy installation in standard E26 socket
- Automatically turns on when motion is detected
- Turns off after 90 seconds when motion is not detected
- 10' to 15' detection range
- 15,000 hours lifetime (L70)
- 5-year limited warranty



TECHNICAL DATA

Additional product data

Base type	E26
Mercury content	0.0 mg
Mercury-free	Yes
Ordering Abbreviation	LED11.5PAR38MOT930WRP
Abbrev. With Packaging Info.	LED11.5PAR38MOT930WRP 4/CS 1/SKU
SKU UPC	0046135401954
NAED	40195
Family Brand Name	ULTRA
General Description	LED PAR38, 11.5W 90CRI, 1050 Lumen, 3000K, 15000 Life, E26 Medium Base

Electrical data

Nominal Wattage	11.50 W
Nominal voltage	120.00 V
Claimed Equivalent Lamp Pwr	100 W
Centerbeam Candlepower (cp)	1,800 cd

Photometrical data

Lumens	1050 lm
Efficacy	91
Color Temperature/CCT	3000 K
Color Rendering Index (CRI)	90
Light color	930

Dimensions & Weight

Overall length	131.00 mm
Diameter	4.76 in
Product weight	0.78 lb

Materials & Colors

Bulb shape	PAR38
Bulb Glass Type	PLASTICS

Application & Mounting

Dimming	No
---------	----

Temperatures & operating conditions

Ambient temperature range	-20...+45 °C
---------------------------	--------------

Lifespan

Average Rated Life (hr)	15000
-------------------------	-------

Capabilities

Dimming	No
---------	----

Certificates & Standards

Certification Listing	RoHS / FTC / FCC
-----------------------	------------------

Logistical data

SKU Qty	1
Case Qty	4
Case Length (in)	11.000
Case Width (in)	10.750
Case Depth (in)	6.500
Case Cube (ft)	0.445
Case Weight (lbs)	4.771
SKU UPC	0046135401954
Pallet Qty	336

Safety advice

- Not for use in totally enclosed fixtures.
- Wet rated for indoor and outdoor use.
- Non-dimmable.
- -4°F to +113°F (-20°C to +45°C)
- Not for use with emergency light fixtures or exit lights.

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product Family Spec Sheet	ULTRA LED Motion Sensor PAR38 Lamp

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.