

PRODUCT DATASHEET

TruWave 5CCT Selectable BR40 13W DIM 5CCT 1PK

SYLVANIA TruWave® 5CCT Selectable Reflectors | Reflectors with exceptional quality lighting with high CRI and reduced blue wavelengths and 5 CCT selectable options



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- Selectable CCTs: 2700/3000/3500/4000/5000K
- Toggle switch located on the lamp to change between CCTs in the field
- 90+ CRI without compromising efficacy
- Controls blue wavelengths for lower glare and reduced eye strain to improve readability
- 15,000 hours lifetime (L70)
- Supports an improved sleep-wake cycle
- Clean light color rendering for seeing realistic, vivid colors
- Dimmable down to 10 %
- Low Flicker percentage

TECHNICAL DATA

Additional product data

Base type	E26
Mercury content	0.0 mg
Ordering Abbreviation	LED13BR40DIM9SC3RP
Abbrev. With Packaging Info.	LED13BR40DIM9SC3RP 4/CS 1/SKU
SKU UPC	0046135421082
NAED	42108
General Description	LED BR40 TruWave 5CCT Selectable,13W, 90 CRI, 1100 LUMEN, 2700/3000/3500/4000/5000K 25,000 HOUR LIFE, Medium BASE, Frosted FINISH
Warranty	5 years

Electrical data

Nominal Wattage	13.00 W
Nominal voltage	120.00 V
Claimed Equivalent Lamp Pwr	85 W

Photometrical data

Lumens	1100 lm
Efficacy	85
Color Temperature/CCT	2700/3000/3000/4000/5000 K
Color Rendering Index (CRI)	90
Light color	927

Dimensions & Weight

Overall length	159.00 mm
Diameter	4.72 in
Product weight	0.25 lb

Materials & Colors

Lamp Finish	Frosted
Bulb shape	BR40
Bulb Glass Type	PLASTICS

Application & Mounting

Dimming	Yes
---------	-----

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

Lifespan

Average Rated Life (hr)	25000
-------------------------	-------

Capabilities

Dimming	Yes
---------	-----

Certificates & Standards

Certification Listing	RoHS / FCC / cULus / CEC
-----------------------	--------------------------

Logistical data

SKU Qty	1
Case Qty	4
Case Length (in)	12.087
Case Width (in)	10.906
Case Depth (in)	7.520
Case Cube (ft)	0.574
Case Weight (lbs)	2.735
SKU UPC	0046135421082
Pallet Qty	288

Safety advice

- Suitable for use in dry and damp locations.
- -4°F to +104°F (-20°C to +40°C)

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product Family Spec Sheet	LED TruWave Selectable Lamps

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.