

PRODUCT DATASHEET

LED TruWave® 5CCT Selectable Lamps

PAR38 15.5W DIM ADJ 1PK

SYLVANIA TruWave® 5CCT Selectable PAR Lamps | PAR Lamps with exceptional quality lighting with high CRI and reduce blue wavelengths and 5 CCT selectable



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- Selectable CCTs: 2700/3000/3500/4000/5000K
- Dimmable down to 10 %
- Controls blue wavelengths for lower glare and reduced eye strain to improve readability
- 25,000 hours lifetime (L70)
- Supports an improved sleep-wake cycle
- Clean light color rendering for seeing realistic, vivid colors
- Twist the toggle located towards the base of the lamp to easily change between CCTs
- 5-year limited warranty

TECHNICAL DATA

Additional product data

Base type	E26
Mercury content	0.0 mg
Ordering Abbreviation	LED15.5PAR38DIM9SC3TLADJRP
Abbrev. With Packaging Info.	LED15.5PAR38DIM9SC3TLADJRP 4/CS 1/SKU
SKU UPC	0046135422874
NAED	42287
Family Brand Name	TruWave™
General Description	LED PAR38, 15.5W, TruWave 5CCT Selectable, 120W Equivalent, 90 CRI, 1200 LUMEN, 2700/3000/3500/4000/5000K 25,000 HOUR LIFE, Medium BASE
Warranty	5 years

Electrical data

Nominal Wattage	15.50 W
Nominal voltage	120.00 V
Claimed Equivalent Lamp Pwr	120 W

Photometrical data

Lumens	1200 lm
Efficacy	77
Color Temperature/CCT	2700/3000/3500/4000/5000 K
Color Rendering Index (CRI)	≥ 90
Light color	927

Dimensions & Weight

Overall length	130.00 mm
Diameter	4.76 in
Product weight	0.47 lb

Materials & Colors

Bulb shape	PAR38
Bulb Glass Type	PLASTICS

Application & Mounting

Dimming	Yes
---------	-----

Lifespan

Average Rated Life (hr)	25000
-------------------------	-------

Capabilities

Dimming	Yes
---------	-----

Certificates & Standards

Certification Listing	RoHS / FTC / FCC / CSA / CEC
-----------------------	------------------------------

Logistical data

SKU Qty	1
Case Qty	4
Case Length (in)	11.417
Case Width (in)	11.378
Case Depth (in)	6.496
Case Cube (ft)	0.488
Case Weight (lbs)	3.340
SKU UPC	0046135422874
Pallet Qty	336

Safety advice

- Suitable for indoor dry, damp and wet locations.
- -4°F to +113°F (-20°C to +45°C)

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product Family Spec Sheet	LED TruWave Selectable Lamps

Photometric and lighting design files		Document name
	IES file (IES)	IESFILES LED PAR38 15.5W TruWave 5CCT Selectable 1200 LM 2700/3000/3500/4000/5000K

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.