

# PRODUCT DATASHEET

## LED TruWave® 5CCT Selectable Lamps

### PAR38 15.5W DIM FL 40 1PK

SYLVANIA TruWave® 5CCT Selectable PAR Lamps | PAR Lamps with exceptional quality lighting with high CRI and reduce blue wavelengths and 5 CCT selectable



---

#### Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

---

#### Product features

- Selectable CCTs: 2700/3000/3500/4000/5000K
- Dimmable down to 10 %
- Controls blue wavelengths for lower glare and reduced eye strain to improve readability
- 25,000 hours lifetime (L70)
- Supports an improved sleep-wake cycle
- Clean light color rendering for seeing realistic, vivid colors
- Twist the toggle located towards the base of the lamp to easily change between CCTs
- 5-year limited warranty

## TECHNICAL DATA

### Additional product data

|                              |                                                                                                                                                   |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Base type                    | E26                                                                                                                                               |
| Mercury content              | 0.0 mg                                                                                                                                            |
| Ordering Abbreviation        | LED15.5PAR38DIM9SC3TLFL40RP                                                                                                                       |
| Abbrev. With Packaging Info. | LED15.5PAR38DIM9SC3TLFL40RP 6/CS 1/SKU                                                                                                            |
| SKU UPC                      | 0046135415227                                                                                                                                     |
| NAED                         | 41522                                                                                                                                             |
| Family Brand Name            | TruWave™                                                                                                                                          |
| General Description          | LED Natural™ TruWave™ PAR38, 15.5W, Dimmable, 90CRI, 1300 Lumen, 5CCT Selectable 2700/3000/3500/4000/5000K, 25000 Life, Medium Base, Clear Finish |

### Electrical data

|                             |          |
|-----------------------------|----------|
| Nominal Wattage             | 15.50 W  |
| Nominal voltage             | 120.00 V |
| Claimed Equivalent Lamp Pwr | 120 W    |
| Centerbeam Candlepower (cp) | 2,231 cd |

### Photometrical data

|                             |                            |
|-----------------------------|----------------------------|
| Lumens                      | 1300 lm                    |
| Efficacy                    | 84                         |
| Color Temperature/CCT       | 2700/3000/3500/4000/5000 K |
| Color Rendering Index (CRI) | 90                         |
| Light color                 | 927                        |

### Dimensions & Weight

|                |           |
|----------------|-----------|
| Overall length | 130.05 mm |
| Diameter       | 4.76 in   |
| Product weight | 0.73 lb   |

### Materials & Colors

|                 |          |
|-----------------|----------|
| Lamp Finish     | Clear    |
| Bulb shape      | PAR38    |
| Bulb Glass Type | PLASTICS |

### Application & Mounting

|         |     |
|---------|-----|
| Dimming | Yes |
|---------|-----|

### Lifespan

|                         |       |
|-------------------------|-------|
| Average Rated Life (hr) | 25000 |
|-------------------------|-------|

### Capabilities

|         |     |
|---------|-----|
| Dimming | Yes |
|---------|-----|

### Certificates & Standards

|                       |                                      |
|-----------------------|--------------------------------------|
| Certification Listing | RoHS / CSA / FTC / FCC / cULus / CEC |
|-----------------------|--------------------------------------|

### Logistical data

|                   |               |
|-------------------|---------------|
| SKU Qty           | 1             |
| Case Qty          | 6             |
| Case Length (in)  | 15.827        |
| Case Width (in)   | 10.787        |
| Case Depth (in)   | 7.480         |
| Case Cube (ft)    | 0.739         |
| Case Weight (lbs) | 7.117         |
| SKU UPC           | 0046135415227 |
| Pallet Qty        | 360           |

### Safety advice

- Suitable for indoor dry, damp and wet locations.
- -4°F to +113°F (-20°C to +45°C)

### DOWNLOAD DATA

| Spec Sheets and Product Documents                                                  |                           | Document name                |
|------------------------------------------------------------------------------------|---------------------------|------------------------------|
|  | Product Family Spec Sheet | LED TruWave Selectable Lamps |

### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.