

PRODUCT DATASHEET

Contractor Series 5CCT Selectable LED PAR Lamps PAR38 15W 10YV ADJ 1PK

SYLVANIA Contractor Series 5CCT Selectable PAR Lamps | PAR Lamps rated up to 11,000 hours life with 5 CCT selectable options



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail
- Vanity fixtures
- Indoor and outdoor
- Decorative or accent lighting

Product features

- Selectable CCTs: 2700/3000/3500/4000/5000K
- Toggle switch located on the lamp to easily change between CCTs
- Up to 110 LPW
- Environmentally preferred products: RoHS compliant and contain no mercury, lead or other hazardous materials
- 3-year limited warranty
- Dimmable down to 10 %

TECHNICAL DATA

Additional product data

Base type	E26
Mercury content	0.0 mg
Ordering Abbreviation	LED15PAR38DIM8SC310YVADJRP
Abbrev. With Packaging Info.	LED15PAR38DIM8SC310YVADJRP 4/CS 1/SKU
SKU UPC	0046135425905
NAED	42590
Family Brand Name	ULTRA LED
General Description	LED PAR38, 15W, 5CCT Selectable, 120W Equivalent, 90 CRI, 1250 LUMEN, 17/25/40 Beam, 2700/3000/3500/4000/5000K 11,000 HOUR LIFE, Medium BASE

Electrical data

Nominal Wattage	15.00 W
Nominal voltage	120.00 V
Claimed Equivalent Lamp Pwr	120 W

Photometrical data

Lumens	1250 lm
Efficacy	83
Color Temperature/CCT	2700/3000/3500/4000/5000 K
Color Rendering Index (CRI)	80
Light color	827

Dimensions & Weight

Overall length	131.00 mm
Diameter	4.84 in
Product weight	0.46 lb

Materials & Colors

Bulb shape	PAR38
Bulb Glass Type	PLASTICS

Application & Mounting

Dimming	Yes
---------	-----

Lifespan

Average Rated Life (hr)	11000
-------------------------	-------

Capabilities

Dimming	Yes
---------	-----

Certificates & Standards

Certification Listing	RoHS / CSA / FTC / FCC / cETLus
-----------------------	---------------------------------

Logistical data

SKU Qty	1
Case Qty	4
Case Length (in)	11.181
Case Width (in)	11.142
Case Depth (in)	6.221
Case Cube (ft)	0.448
Case Weight (lbs)	3.194
SKU UPC	0046135425905
Pallet Qty	336

Safety advice

- -4°F to +113°F (-20°C to +45°C)
- Suitable for wet locations.

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product Family Spec Sheet	LED620 SYLVANIA LAMPS Contractor Series 5CCT Selectable LED family

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.