

PRODUCT DATASHEET

TruWave® 3-Way A21 19W FR 2700K 1PK

SYLVANIA TruWave® 3-Way A21/A23 Lamps | TruWave 3-Way A21/A23 lamps with natural light, 90+ CRI, and reduced blue light



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- Controls blue wavelengths for lower glare and reduced eye strain to improve readability
- Supports an improved sleep-wake cycle
- Clean light color rendering for seeing realistic, vivid colors
- Exceptional color quality without the loss of efficacy typical of most 90+ CRI solutions
- Properly saturates red to make building spaces and flesh tones accurate and vibrant
- 15,000 hours lifetime (L70)
- Three lumen outputs - one lamp
- CRI 90+ for exceptional color quality
- Dimmable down to 10 %

TECHNICAL DATA

Additional product data

Base type	E26
Mercury content	0.0 mg
Ordering Abbreviation	LED19A213WAY8273YVRP
Abbrev. With Packaging Info.	LED19A213WAY8273YVRP 4/CS 1/SKU
SKU UPC	0046135420528
NAED	42052
General Description	LED A21, 3-Way, 6/13/19W, 80 CRI, 600/1500/2150 LUMEN, 2700K, 3,500 HOURLIFE, MEDIUM BASE, FROSTED FINISH
Warranty	6 months

Electrical data

Nominal Wattage	6.00/13.00/19.00 W
Nominal voltage	120.00 V
Claimed Equivalent Lamp Pwr	150 W

Photometrical data

Lumens	600/1500/2150 lm
Efficacy	100
Color Temperature/CCT	2700 K
Color Rendering Index (CRI)	80
Light color	827

Dimensions & Weight

Overall length	130.00 mm
Diameter	2.64 in
Product weight	0.15 lb

Materials & Colors

Lamp Finish	Frosted
Bulb shape	A21
Bulb Glass Type	PLASTICS

Application & Mounting

Dimming	No
---------	----

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

Lifespan

Average Rated Life (hr)	3500
-------------------------	------

Capabilities

Dimming	No
---------	----

Certificates & Standards

Certification Listing	RoHS / FTC / FCC / ETL
-----------------------	------------------------

Logistical data

SKU Qty	1
Case Qty	4
Case Length (in)	11.535
Case Width (in)	3.583
Case Depth (in)	5.787
Case Cube (ft)	0.138
Case Weight (lbs)	1.138
SKU UPC	0046135420528
Pallet Qty	1,408

Safety advice

- Suitable for damp locations.
- Not for use in totally enclosed fixtures.
- -4°F to +113°F (-20°C to +45°C)
- Not intended for use with dimmers.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.