

PRODUCT DATASHEET

TruWave® 3-Way A21 21W FR 3500K 1PK

SYLVANIA TruWave® 3-Way A21/A23 Lamps | TruWave 3-Way A21/A23 lamps with natural light, 90+ CRI, and reduced blue light



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- Controls blue wavelengths for lower glare and reduced eye strain to improve readability
- Supports an improved sleep-wake cycle
- Clean light color rendering for seeing realistic, vivid colors
- Exceptional color quality without the loss of efficacy typical of most 90+ CRI solutions
- Properly saturates red to make building spaces and flesh tones accurate and vibrant
- 15,000 hours lifetime (L70)
- Three lumen outputs - one lamp
- CRI 90+ for exceptional color quality
- Dimmable down to 10 %

TECHNICAL DATA

Additional product data

Base type	E26
Mercury content	0.0 mg
Ordering Abbreviation	LED21A213WAYO935TLRP
Abbrev. With Packaging Info.	LED21A213WAYO935TLRP 6/CS 1/SKU
SKU UPC	0046135420801
NAED	42080
Family Brand Name	TruWave™
General Description	LED A21 3WAY, 8/16/21W, 90 CRI, 700/1600/2150 LUMEN, 3500K, 25,000 HOUR LIFE, Medium BASE, Frosted FINISH
Warranty	5 years

Electrical data

Nominal Wattage	8.00/16.00/21.00 W
Nominal voltage	120.00 V
Claimed Equivalent Lamp Pwr	150 W

Photometrical data

Lumens	700/1600/2150 lm
Efficacy	88
Color Temperature/CCT	3500 K
Color Rendering Index (CRI)	90
Light color	935

Dimensions & Weight

Overall length	130.00 mm
Diameter	2.76 in
Product weight	0.34 lb

Materials & Colors

Lamp Finish	Frosted
Bulb shape	A21
Bulb Glass Type	PLASTICS

Application & Mounting

Dimming	No
---------	----

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

Lifespan

Average Rated Life (hr)	25000
-------------------------	-------

Capabilities

Dimming	No
---------	----

Certificates & Standards

Certification Listing	RoHS / FTC / FCC / cULus / CEC
-----------------------	--------------------------------

Logistical data

SKU Qty	1
Case Qty	6
Case Length (in)	9.882
Case Width (in)	6.811
Case Depth (in)	6.063
Case Cube (ft)	0.236
Case Weight (lbs)	3.302
SKU UPC	0046135420801
Pallet Qty	1,344

Safety advice

- Suitable for damp locations.
- Not for use in totally enclosed fixtures.
- -4°F to +113°F (-20°C to +45°C)
- Not intended for use with dimmers.

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product Family Spec Sheet	Natural Series A21 3-Way LED538
Photometric and lighting design files		Document name
	IES file (IES)	LED21A213WAYO935TLRP

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.