

# PRODUCT DATASHEET

## White Filament B10 3.5W CANDELABRA DIM 2700K 4PK

SYLVANIA WHITE FILAMENT B10 Lamps | White Filament B10 lamps offer a unique filament design with a vintage-modern look



---

### Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

---

### Product features

- Unique white filaments for an aesthetically pleasing look on and off
- Clear finish
- Reduces energy consumption up to 80–90 %
- RoHS compliant, mercury and lead free
- 15,000 hours lifetime (L70)
- 3-year limited warranty
- Dimmable to customize light output

## TECHNICAL DATA

### Additional product data

|                              |                                                                                                     |
|------------------------------|-----------------------------------------------------------------------------------------------------|
| Base type                    | E12                                                                                                 |
| Mercury content              | 0.0 mg                                                                                              |
| Ordering Abbreviation        | LED3.5B10CDIM827FILWHRP4                                                                            |
| Abbrev. With Packaging Info. | LED3.5B10CDIM827FILWHRP4 12/CS 4/SKU                                                                |
| SKU UPC                      | 0046135418464                                                                                       |
| NAED                         | 41846                                                                                               |
| General Description          | LED B10, 3.5W, Dimmable, 80CRI, 300 Lumen, 2700K, 15000 Life, E12Candelabra, Filament, clear finish |
| Warranty                     | 3 years                                                                                             |

### Electrical data

|                             |          |
|-----------------------------|----------|
| Nominal Wattage             | 3.50 W   |
| Nominal voltage             | 120.00 V |
| Claimed Equivalent Lamp Pwr | 40 W     |

### Photometrical data

|                             |        |
|-----------------------------|--------|
| Lumens                      | 300 lm |
| Efficacy                    | 86     |
| Color Temperature/CCT       | 2700 K |
| Color Rendering Index (CRI) | 80     |
| Light color                 | 827    |

### Dimensions & Weight

|                |           |
|----------------|-----------|
| Overall length | 122.00 mm |
| Diameter       | 1.38 in   |
| Product weight | 0.04 lb   |

### Materials & Colors

|                 |            |
|-----------------|------------|
| Lamp Finish     | Clear      |
| Bulb shape      | B10        |
| Bulb Glass Type | SOFT GLASS |

### Application & Mounting

|         |     |
|---------|-----|
| Dimming | Yes |
|---------|-----|

### Temperatures & operating conditions

|                           |             |
|---------------------------|-------------|
| Ambient temperature range | -20...40 °C |
|---------------------------|-------------|

### Lifespan

|                         |       |
|-------------------------|-------|
| Average Rated Life (hr) | 15000 |
|-------------------------|-------|

### Capabilities

|         |     |
|---------|-----|
| Dimming | Yes |
|---------|-----|

### Certificates & Standards

|                       |                    |
|-----------------------|--------------------|
| Certification Listing | RoHS / FCC / cULus |
|-----------------------|--------------------|

### Logistical data

|                   |               |
|-------------------|---------------|
| SKU Qty           | 4             |
| Case Qty          | 12            |
| Case Length (in)  | 10.158        |
| Case Width (in)   | 5.433         |
| Case Depth (in)   | 6.024         |
| Case Cube (ft)    | 0.192         |
| Case Weight (lbs) | 1.149         |
| SKU UPC           | 0046135418464 |
| Pallet Qty        | 2,856         |

### Safety advice

- Approved for use in enclosed fixtures.
- Suitable for wet locations.
- -4°F to +104°F (-20°C to +40°C)

### DOWNLOAD DATA

| Spec Sheets and Product Documents                                                  |                           | Document name                                    |
|------------------------------------------------------------------------------------|---------------------------|--------------------------------------------------|
|  | Product Family Spec Sheet | SYLVANIA LED White Filament Lamps                |
| Photometric and lighting design files                                              |                           | Document name                                    |
|  | IES file (IES)            | IES FILES LED B10 3.5W Dim 300 LM 2700K Filament |

### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.