

PRODUCT DATASHEET

ULTRA LED T10 T103.5W DIM 2700K CL 1PK

SYLVANIA ULTRA LED T10 Lamps | ULTRA LED LED T10 lamps rated up to 15,000 hours life, CRI 90



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail
- Residential and commercial

Product features

- Clear glass finish
- RoHS compliant, mercury and lead free
- California Title 20
- 15,000 hours lifetime (L70)
- 3-year limited warranty
- Exceptional color quality without the loss of efficacy typical of most 90+ CRI solutions
- UV and IR free

TECHNICAL DATA

Additional product data

Base type	E26
Mercury content	0.0 mg
Ordering Abbreviation	LED3.5T10DIM927CLRP
Abbrev. With Packaging Info.	LED3.5T10DIM927CLRP 6/CS 1/SKU
SKU UPC	0046135420542
NAED	42054
General Description	LED T10, 3.5W, 90 CRI, 300 LUMEN, 2700K, 15,000 HOUR LIFE, MEDIUM BASE, CLEAR FINISH
Warranty	3 years

Electrical data

Nominal Wattage	3.50 W
Nominal voltage	120.00 V
Claimed Equivalent Lamp Pwr	40 W

Photometrical data

Lumens	300 lm
Efficacy	86
Color Temperature/CCT	2700 K
Color Rendering Index (CRI)	90
Light color	927

Dimensions & Weight

Overall length	125.00 mm
Diameter	1.18 in
Product weight	0.08 lb

Materials & Colors

Lamp Finish	Clear
Bulb shape	T10
Bulb Glass Type	SOFT GLASS

Application & Mounting

Dimming	Yes
---------	-----

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

Lifespan

Average Rated Life (hr)	15000
-------------------------	-------

Capabilities

Dimming	Yes
---------	-----

Certificates & Standards

Certification Listing	RoHS / FTC / FCC / CEC / cULus
-----------------------	--------------------------------

Logistical data

SKU Qty	1
Case Qty	6
Case Length (in)	9.961
Case Width (in)	2.087
Case Depth (in)	6.417
Case Cube (ft)	0.077
Case Weight (lbs)	0.858
SKU UPC	0046135420542
Pallet Qty	3,822

Safety advice

- Suitable for damp locations.
- Dimmable
- -4°F to +104°F (-20°C to +40°C)
- Not for use with emergency light fixtures or exit lights.
- Approved for use in totally enclosed fixtures.

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product Family Spec Sheet	LED605 SYLVANIA LAMPS ULTRA T10 LED

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.