

PRODUCT DATASHEET

White Filament G25 4.5W DIM 5000K 2PK

SYLVANIA WHITE FILAMENT G25 Lamps | White Filament G25 lamps feature a unique filament design with vintage-modern appeal



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- Unique white filaments for an aesthetically pleasing look on and off
- Clear finish
- Reduces energy consumption up to 80–90 %
- RoHS compliant, mercury and lead free
- 15,000 hours lifetime (L70)
- 3-year limited warranty
- Dimmable to customize light output

TECHNICAL DATA

Additional product data

Base type	E26
Mercury content	0.0 mg
Ordering Abbreviation	LED5G25DIM850FILWHRP2
Abbrev. With Packaging Info.	LED5G25DIM850FILWHRP2 6/CS 2/SKU
SKU UPC	0046135421778
NAED	42177
General Description	LED G25, 5W, 80CRI, 500 Lumens, E26 Medium base, Dimmable, 5000K, 15000 life (Hours), Filament, Clear Glass

Electrical data

Nominal Wattage	5.00 W
Nominal voltage	120.00 V
Claimed Equivalent Lamp Pwr	60 W

Photometrical data

Lumens	500 lm
Efficacy	100
Color Temperature/CCT	5000 K
Color Rendering Index (CRI)	80
Light color	850

Dimensions & Weight

Overall length	113.00 mm
Diameter	3.15 in
Product weight	0.09 lb

Materials & Colors

Lamp Finish	Clear
Bulb shape	G25
Bulb Glass Type	HARDGLASS

Application & Mounting

Dimming	Yes
---------	-----

Lifespan

Average Rated Life (hr)	15000
-------------------------	-------

Capabilities

Dimming	Yes
---------	-----

Certificates & Standards

Certification Listing	RoHS / FCC / cULus
-----------------------	--------------------

Logistical data

SKU Qty	2
Case Qty	6
Case Length (in)	10.875
Case Width (in)	7.188
Case Depth (in)	5.375
Case Cube (ft)	0.243
Case Weight (lbs)	1.269
SKU UPC	0046135421778
Pallet Qty	1,104

Safety advice

- Approved for use in enclosed fixtures.
- Suitable for wet locations.
- -4°F to +104°F (-20°C to +40°C)

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product Family Spec Sheet	SYLVANIA LED White Filament Lamps

Photometric and lighting design files		Document name
	IES file (IES)	IES FILES LED G25 5W 500 LM E26 Medium base Dim 5000K Filament

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.