


PRODUCT DATASHEET

TruWave® Filament Selectable G25 5W DIM 5CCT 2PK

SYLVANIA TruWave® 5CCT Selectable Filament Lamps | TruWave 5CCT Filament lamps control blue light for lower glare and less eye strain



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- Selectable CCTs: 2700/3000/3500/4000/5000K
- Toggle switch located on the lamp to change between CCTs in the field
- California Title 20
- Controls blue wavelengths for lower glare and reduced eye strain to improve readability
- Supports an improved sleep-wake cycle
- Clean light color rendering for seeing realistic, vivid colors
- 15,000 hours lifetime (L70)
- 5-year limited warranty
- Dimmable down to 10 %
- Exceptional color quality without the loss of efficacy
- Properly saturates red to make colors accurate and vibrant
- CRI > 90

TECHNICAL DATA

Additional product data

Base type	E26
Mercury content	0.0 mg
Ordering Abbreviation	LED5G25DIMCL9SC3TLRP2
Abbrev. With Packaging Info.	LED5G25DIMCL9SC3TLRP2 8/CS 2/SKU
SKU UPC	0046135422713
NAED	42271
Family Brand Name	TruWave™
General Description	LED G25, 60W Equivalent, 5W, 500 Lumens, 90 CRI, 2700/3000/3500/4000/5000K, 15,000 HR Life, Medium Base, Clear Finish, TruWave 5CCT Selectable

Electrical data

Nominal Wattage	5.00 W
Nominal voltage	120.00 V
Claimed Equivalent Lamp Pwr	60 W

Photometrical data

Lumens	500 lm
Efficacy	100
Color Temperature/CCT	2700/3000/3500/4000/5000 K
Color Rendering Index (CRI)	≥ 90
Light color	927

Dimensions & Weight

Overall length	126.00 mm
Diameter	3.15 in
Product weight	0.11 lb

Materials & Colors

Lamp Finish	Clear
Bulb shape	G25
Bulb Glass Type	SOFT GLASS

Application & Mounting

Dimming	Yes
---------	-----

Lifespan

Average Rated Life (hr)	15000
-------------------------	-------

Capabilities

Dimming	Yes
---------	-----

Certificates & Standards

Certification Listing	RoHS / CSA / FCC / cETLus / CEC
-----------------------	---------------------------------

Logistical data

SKU Qty	2
Case Qty	8
Case Length (in)	14.606
Case Width (in)	7.362
Case Depth (in)	6.378
Case Cube (ft)	0.397
Case Weight (lbs)	1.853
SKU UPC	0046135422713
Pallet Qty	840

Safety advice

- Suitable for use in dry and damp locations.
- -4°F to +104°F (-20°C to +40°C)

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product Family Spec Sheet	LED TruWave Selectable Lamps

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.