

# PRODUCT DATASHEET

## Contractor Series 5CCT Selectable A19 6W 5CCT 10YV 4PK

SYLVANIA Contractor Series 5CCT Selectable A19/A21 Lamps | Contractor Series A19/A21 with 80+ CRI and flexible 5CCT selectable



---

### Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail
- Vanity fixtures
- Indoor and outdoor
- Decorative or accent lighting

---

### Product features

- Selectable CCTs: 2700/3000/3500/4000/5000K
- Toggle switch located on the lamp to change between CCTs in the field
- Up to 110 LPW
- Environmentally preferred products: RoHS compliant and contain no mercury, lead or other hazardous materials
- 11,000 hours lifetime (L70)

## TECHNICAL DATA

### Additional product data

|                              |                                                                                                                                |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Base type                    | E26                                                                                                                            |
| Mercury content              | 0.0 mg                                                                                                                         |
| Ordering Abbreviation        | LED6A19F8SC310YVRP4                                                                                                            |
| Abbrev. With Packaging Info. | LED6A19F8SC310YVRP4 16/CS 4/SKU                                                                                                |
| SKU UPC                      | 0046135424779                                                                                                                  |
| NAED                         | 42477                                                                                                                          |
| Family Brand Name            | 10YV                                                                                                                           |
| General Description          | LED A19 10YR 5CCT Selectable, 6W, 80 CRI, 450 LUMEN,2700K/3000K/3500K/4000K/5000K, 11,000 HOUR LIFE, MEDIUM BASE FrostedFINISH |
| Warranty                     | 3 years                                                                                                                        |

### Electrical data

|                             |          |
|-----------------------------|----------|
| Nominal Wattage             | 6.00 W   |
| Nominal voltage             | 120.00 V |
| Claimed Equivalent Lamp Pwr | 40 W     |

### Photometrical data

|                             |                            |
|-----------------------------|----------------------------|
| Lumens                      | 450 lm                     |
| Efficacy                    | 75                         |
| Color Temperature/CCT       | 2700/3000/3500/4000/5000 K |
| Color Rendering Index (CRI) | 80                         |
| Light color                 | 827                        |

### Dimensions & Weight

|                |           |
|----------------|-----------|
| Overall length | 107.00 mm |
| Diameter       | 2.36 in   |
| Product weight | 0.06 lb   |

### Materials & Colors

|                 |          |
|-----------------|----------|
| Lamp Finish     | Frosted  |
| Bulb shape      | A19      |
| Bulb Glass Type | PLASTICS |

### Application & Mounting

|         |    |
|---------|----|
| Dimming | No |
|---------|----|

### Temperatures & operating conditions

|                           |             |
|---------------------------|-------------|
| Ambient temperature range | -20...40 °C |
|---------------------------|-------------|

### Lifespan

|                         |       |
|-------------------------|-------|
| Average Rated Life (hr) | 11000 |
|-------------------------|-------|

### Capabilities

|         |    |
|---------|----|
| Dimming | No |
|---------|----|

### Certificates & Standards

|                       |      |
|-----------------------|------|
| Certification Listing | RoHS |
|-----------------------|------|

### Logistical data

|                   |               |
|-------------------|---------------|
| SKU Qty           | 4             |
| Case Qty          | 16            |
| Case Length (in)  | 10.866        |
| Case Width (in)   | 5.354         |
| Case Depth (in)   | 6.417         |
| Case Cube (ft)    | 0.216         |
| Case Weight (lbs) | 1.613         |
| SKU UPC           | 0046135424779 |
| Pallet Qty        | 3,472         |

### Safety advice

- -4°F to +113°F (-20°C to +45°C)
- Suitable for damp locations.
- Non-dimmable.

### DOWNLOAD DATA

| Spec Sheets and Product Documents                                                  |                           | Document name                                                      |
|------------------------------------------------------------------------------------|---------------------------|--------------------------------------------------------------------|
|  | Product Family Spec Sheet | LED612 SYLVANIA LAMPS Contractor Series 5CCT Selectable LED A19    |
|  | Product Family Spec Sheet | LED620 SYLVANIA LAMPS Contractor Series 5CCT Selectable LED family |

| Photometric and lighting design files                                              |                | Document name                                 |
|------------------------------------------------------------------------------------|----------------|-----------------------------------------------|
|  | IES file (IES) | Contractor Series Family 5CCT Aline IES FILES |

### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

