


PRODUCT DATASHEET

TruWave® Filament Selectable ST19 7.5W DIM 5CCT 1PK

SYLVANIA TruWave® 5CCT Selectable Filament Lamps | TruWave 5CCT Filament lamps control blue light for lower glare and less eye strain



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- Selectable CCTs: 2700/3000/3500/4000/5000K
- Toggle switch located on the lamp to change between CCTs in the field
- California Title 20
- Controls blue wavelengths for lower glare and reduced eye strain to improve readability
- Supports an improved sleep-wake cycle
- Clean light color rendering for seeing realistic, vivid colors
- 15,000 hours lifetime (L70)
- 5-year limited warranty
- Dimmable down to 10 %
- Exceptional color quality without the loss of efficacy
- Properly saturates red to make colors accurate and vibrant
- CRI > 90

TECHNICAL DATA

Additional product data

Base type	E26
Mercury content	0.0 mg
Ordering Abbreviation	LED7.5ST19DIMCL9SC3TLRP
Abbrev. With Packaging Info.	LED7.5ST19DIMCL9SC3TLRP 4/CS 1/SKU
SKU UPC	0046135422720
NAED	42272
Family Brand Name	TruWave™
General Description	LED ST19, 60W Equivalent, 7.5W, 800 Lumens, 90 CRI, 2700/3000/3500/4000/5000K, 15,000 HR Life, Medium Base, Clear Finish, TruWave 5CCT Selectable

Electrical data

Nominal Wattage	7.50 W
Nominal voltage	120.00 V
Claimed Equivalent Lamp Pwr	60 W

Photometrical data

Lumens	800 lm
Efficacy	107
Color Temperature/CCT	2700/3000/3500/4000/5000 K
Color Rendering Index (CRI)	≥ 90
Light color	927

Dimensions & Weight

Overall length	142.00 mm
Diameter	2.28 in
Product weight	0.12 lb

Materials & Colors

Lamp Finish	Clear
Bulb shape	ST19
Bulb Glass Type	SOFT GLASS

Application & Mounting

Dimming	Yes
---------	-----

Lifespan

Average Rated Life (hr)	15000
-------------------------	-------

Capabilities

Dimming	Yes
---------	-----

Certificates & Standards

Certification Listing	RoHS / CSA / FTC / FCC / cETLus / CEC
-----------------------	---------------------------------------

Logistical data

SKU Qty	1
Case Qty	4
Case Length (in)	10.748
Case Width (in)	3.071
Case Depth (in)	6.732
Case Cube (ft)	0.129
Case Weight (lbs)	1.029
SKU UPC	0046135422720
Pallet Qty	1,596

Safety advice

- Suitable for use in dry and damp locations.
- -4°F to +104°F (-20°C to +40°C)

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product Family Spec Sheet	LED TruWave Selectable Lamps

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.