

PRODUCT DATASHEET

Contractor Series 5CCT Selectable LED PAR Lamps PAR30 8W 10YV NFL 25 1PK

SYLVANIA Contractor Series 5CCT Selectable PAR Lamps | PAR Lamps rated up to 11,000 hours life with 5 CCT selectable options



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail
- Vanity fixtures
- Indoor and outdoor
- Decorative or accent lighting

Product features

- Selectable CCTs: 2700/3000/3500/4000/5000K
- Toggle switch located on the lamp to easily change between CCTs
- Up to 110 LPW
- Environmentally preferred products: RoHS compliant and contain no mercury, lead or other hazardous materials
- 3-year limited warranty
- Dimmable down to 10 %

TECHNICAL DATA

Additional product data

Base type	E26
Mercury content	0.0 mg
Ordering Abbreviation	LED8PAR30DIM8SC310YVNFL25WRP
Abbrev. With Packaging Info.	LED8PAR30DIM8SC310YVNFL25WRP 4/CS 1/SKU
SKU UPC	0046135425684
NAED	42568
Family Brand Name	10YR M3 contractor series
General Description	LED PAR30, 8W, 75W equivalent, Dimmable, 80 CRI, 650 Lumen, 2700/3000/3500/4000/5000 K, 11000 Life, E26 Medium Base

Electrical data

Nominal Wattage	8.00 W
Nominal voltage	120.00 V
Claimed Equivalent Lamp Pwr	75 W

Photometrical data

Lumens	650 lm
Efficacy	81
Color Temperature/CCT	2700/3000/3500/4000/5000 K
Color Rendering Index (CRI)	80
Light color	827

Dimensions & Weight

Overall length	92.00 mm
Diameter	3.74 in
Product weight	0.16 lb

Materials & Colors

Lamp Finish	Reflector
Bulb shape	PAR30
Bulb Glass Type	PLASTICS

Application & Mounting

Dimming	Yes
---------	-----

Lifespan

Average Rated Life (hr)	11000
-------------------------	-------

Capabilities

Dimming	Yes
---------	-----

Certificates & Standards

Certification Listing	RoHS / cULus
-----------------------	--------------

Logistical data

SKU Qty	1
Case Qty	4
Case Length (in)	15.866
Case Width (in)	4.370
Case Depth (in)	4.137
Case Cube (ft)	0.166
Case Weight (lbs)	1.190
SKU UPC	0046135425684
Pallet Qty	1,188

Safety advice

- -4°F to +113°F (-20°C to +45°C)
- Suitable for wet locations.

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product Family Spec Sheet	LED620 SYLVANIA LAMPS Contractor Series 5CCT Selectable LED family

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.