

PRODUCT DATASHEET

TruWave® 5CCT Selectable A19 9W 2PK

SYLVANIA TruWave® 5CCT Selectable A19 Lamps | TruWave A19 lamps with natural light, 5CCT selectable , and 90+ CRI



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- Selectable CCTs: 2700/3000/3500/4000/5000K
- Controls blue wavelengths for lower glare and reduced eye strain to improve readability
- Supports an improved sleep-wake cycle
- Clean light color rendering for seeing realistic, vivid colors
- Exceptional color quality without the loss of efficacy typical of most 90+ CRI solutions
- Properly saturates red to make building spaces and flesh tones accurate and vibrant
- 25,000 hours lifetime (L70)
- CRI 90+ for exceptional color quality

TECHNICAL DATA

Additional product data

Base type	E26
Mercury content	0.0 mg
Ordering Abbreviation	LED9A19DIMO9SC3RP
Abbrev. With Packaging Info.	LED9A19DIMO9SC3RP 8/CS 2/SKU
SKU UPC	0046135421099
NAED	42109
Family Brand Name	TruWave™
General Description	LED A19 TruWave 5CCT Selectable, 9W, 90 CRI, 800 LUMEN, 2700/3000/3500K/4000/5000K 25,000 HOUR LIFE, Medium BASE, Frosted FINISH
Warranty	5 years

Electrical data

Nominal Wattage	9.00 W
Nominal voltage	120.00 V
Claimed Equivalent Lamp Pwr	60 W

Photometrical data

Lumens	800 lm
Efficacy	89
Color Temperature/CCT	2700/3000/3500/4000/5000 K
Color Rendering Index (CRI)	90
Light color	927

Dimensions & Weight

Overall length	110.00 mm
Diameter	2.36 in
Product weight	0.11 lb

Materials & Colors

Lamp Finish	Frosted
Bulb shape	A19
Bulb Glass Type	PLASTICS

Application & Mounting

Dimming	Yes
---------	-----

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

Lifespan

Average Rated Life (hr)	25000
-------------------------	-------

Capabilities

Dimming	Yes
---------	-----

Certificates & Standards

Certification Listing	RoHS / CSA / FTC / FCC / cULus / CEC
-----------------------	--------------------------------------

Logistical data

SKU Qty	2
Case Qty	8
Case Length (in)	10.669
Case Width (in)	4.724
Case Depth (in)	4.567
Case Cube (ft)	0.133
Case Weight (lbs)	1.426
SKU UPC	0046135421099
Pallet Qty	2,800

Safety advice

- Suitable for use in dry and damp locations.
- -4°F to +104°F (-20°C to +40°C)

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product Family Spec Sheet	LED TruWave Selectable Lamps

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.