

PRODUCT DATASHEET

RT GIMBAL 5/6" 5CCT 725LM

SYLVANIA DOWNLIGHT RETROFIT GIMBAL CCT SELECTABLE | SYLVANIA Downlight Retrofit gimbal with selectable 5 CCT



Areas of application

- Residential
- Offices
- Retail
- Education

Product features

- Integrated white trim, E26 medium base socket adapter
- Selectable CCTs: 2700/3000/3500/4000/5000K
- Available in 120VAC
- Up to 90 LPW
- Energy savings up to 88 %
- Flicker-free dimming, phase-cut down to 10 %
- Beam angle 110°



TECHNICAL DATA

Additional product data

Ordering Abbreviation	LEDRT56G725SC3
Abbrev. With Packaging Info.	LEDRT56G725SC3 4/CS 1/SKU
SKU UPC	0046135651205
NAED	65120
Base	E26 Medium
Family Brand Name	Hi-PerformanceLED
General Description	LED RT56 Gimbal, 8W, Dimmable, 90CRI, 725 Lumens, Selectable 2700, 3000, 3500, 4000, 5000K, 50000 life
Warranty	5 years

Electrical data

Nominal Wattage	8.00 W
Nominal voltage	120.00 V
Power factor	> 0.90

Photometrical data

Lumens	725 lm
Efficacy	91
Color Temperature/CCT	2700/3000/3500/4000/5000 K
Light color (designation)	Color-changing
Color Rendering Index (CRI)	90
Luminaire Type	Downlight

Dimensions & Weight

Diameter	7.2 in
Length	2.79 in
Product weight	0.32 lb

Materials & Colors

Mercury content	0.0 mg
-----------------	--------

Application & Mounting

Ambient temperature range	-20...+40 °C
Maximum Operating Temperature	104 °F
Minimum Operating Temperature	-4 °F

Dimming	Yes
Replaceable light source	No
Holder designation	E26

Lifespan

Average Rated Life (hr)	50000
-------------------------	-------

Logistical data

SKU Qty	1
Case Qty	4
Case Length (in)	12.874
Case Width (in)	7.677
Case Depth (in)	7.795
Case Cube (ft)	0.446
Case Weight (lbs)	2.419
SKU UPC	0046135651205
Pallet Qty	380

Certificates & Standards

Certification Listing	RoHS / FCC / cETLus / CEC
Energy Star Rated	X

Safety advice

- Suitable for indoor dry, damp and wet locations.
- Not intended for use with emergency light luminaires or exit lights.

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product Family Spec Sheet	Hi-PerformanceLED RT Gimbal

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.