

PRODUCT DATASHEET

LED DOWNLIGHT 5CCT 960LM

SYLVANIA DOWNLIGHT 7" CCT SELECTABLE | Downlight 7" with multiple mounting options and selectable 5 CCT



Areas of application

- Retail
- Offices
- Education
- Low-bay applications

Product features

- Hybrid install into existing recessed cans and junction boxes
- No warm up time, instant on with full light and consistent lamp to lamp color
- Selectable CCTs: 2700/3000/3500/4000/5000K
- Up to 80 LPW
- Energy savings up to 84 %
- Beam angle 110°
- Available in 120VAC

TECHNICAL DATA

Additional product data

Ordering Abbreviation	LEDSLMDNL7R960STSC3
Abbrev. With Packaging Info.	LEDSLMDNL7R960STSC3 4/CS 1/SKU
SKU UPC	0046135655555
NAED	65555
Base	E26 Medium
Family Brand Name	UltraLED
General Description	Slim Downlight, 120V, 7inch, 960 lumens, 5 color selectable, 80CRI, 35.000h, torsion springs, Jbox adapter and E26 socket included
Warranty	5 years

Electrical data

Nominal Wattage	12.00 W
Nominal voltage	120.00 V
Power factor	≥0.90
Total Harmonic Distortion	< 20 %

Photometrical data

Lumens	960 lm
Efficacy	80 lm/W
Color Temperature/CCT	2700/3000/3500/4000/5000 K
Light color (designation)	Warm White
Color Rendering Index (CRI)	80
Luminaire Type	Downlight

Dimensions & Weight

Diameter	7 in
Height	0.5 in
Product weight	0.97 lb

Materials & Colors

Luminaire Finish	White
Housing color	White
Housing	Aluminum Plastic

Application & Mounting

Ambient temperature range	-20...+40 °C
Maximum Operating Temperature	104 °F
Minimum Operating Temperature	-4 °F

Connectors	Screw terminal
Dimming	Yes
Type of Dimming	PHASE CUT
Mounting	Recessed
Indoor/Outdoor	Indoor
Replaceable light source	No
Holder designation	GU10
Primary Lamp Type	SMD

Lifespan

Number of switching cycles	15000
Average Rated Life (hr)	35000

Logistical data

SKU Qty	1
Case Qty	4
Case Length (in)	9.370
Case Width (in)	7.677
Case Depth (in)	8.307
Case Cube (ft)	0.346
Case Weight (lbs)	5.077
SKU UPC	0046135655555
Pallet Qty	500

Certificates & Standards

Certification Listing	RoHS / FCC / cULus
Energy Star Rated	X

Safety advice

- Suitable for wet locations.

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product Family Spec Sheet	UltraLED™ Downlight 7" Selectable

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

