

PRODUCT DATASHEET

WALL PACK MINI 30W 120-347V D 8 3CCT BL P

WALL PACK MINI | Non Cutoff Wall Pack Mini with selectable CCT and wattage



Areas of application

- Commercial buildings
- Residential buildings
- Walkways

Product features

- Lightweight, compact design
- Integrated photocell that can be disabled in the field
- Selectable CCT: 3000 K, 4000 K and 5000 K
- CRI > 80
- Selectable wattage and lumen output
- DLC Premium: assures high energy efficient & eligible for utility rebates

TECHNICAL DATA

Additional product data

Ordering Abbreviation	MWLPAKN2AS030UNHD8SC2BLP
Abbrev. With Packaging Info.	MWLPAKN2AS030UNHD8SC2BLP 10/CS 1/SKU
SKU UPC	0046135636547
NAED	63654
Family Brand Name	LEDVANCE
General Description	MINI WALLPACK, NON-CUTOFF 2A, 10/20/30W, 120-347V, 0-10V DIM, 80 CRI, 3000/4000/5000K, BLACK, PHOTOCELL
Warranty	5 years

Electrical data

Nominal Wattage	10.00/20.00/30.00 W
Nominal voltage	120.00...347.00 V
Power factor	≥ 0.90
Total Harmonic Distortion	< 20 %

Photometrical data

Lumens	1300/2600/3900 lm
Efficacy	130 lm/W
Color Temperature/CCT	3000/4000/5000 K
Color Rendering Index (CRI)	80
Luminaire Type	Wall pack

Dimensions & Weight

Length	8.23 in
Width	5.04 in
Height	3.03 in
Product weight	1.65 lb

Materials & Colors

Luminaire Finish	Black
Housing color	Black
Housing	Aluminum
Mercury content	0.0 mg

Application & Mounting

Ambient temperature range	-40...+50 °C
Maximum Operating Temperature	122 °F
Minimum Operating Temperature	-40 °F

Dimming	Yes
Type of Dimming	0-10V
Mounting	Surface
Indoor/Outdoor	Outdoor
Replaceable light source	No
Primary Lamp Type	SMD

Lifespan

Average Rated Life (hr)	100000
-------------------------	--------

Logistical data

SKU Qty	1
Case Qty	10
Case Length (in)	16.417
Case Width (in)	11.221
Case Depth (in)	9.409
Case Cube (ft)	1.003
Case Weight (lbs)	20.136
SKU UPC	0046135636547
Pallet Qty	450

Certificates & Standards

Certification Listing	RoHS / FCC / cULus
-----------------------	--------------------

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Installation Guide	MINI WALL PACK 2A
	Product Family Spec Sheet	LEDLUM188 Dual Selectable Mini Wall Pack 2A LEDVANCE Luminaires

Photometric and lighting design files		Document name
	IES file (IES)	MINI WALL PACK 2A IES

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.