

PRODUCT DATASHEET

ULTRASONIC STAIRWELL DUAL SELECT 4 ft S45W 120-277V 3CCTEMBB

SYLVANIA STAIRWELL ULTRASONIC DUAL SELECTABLE | SYLVANIA Stairwell Ultrasonic luminaire with selectable CCT and wattage



Areas of application

- Stairwells
- Hallways

Product features

- High resolution ultrasonic motion sensor
- Selectable CCT: 3500/4000/5000K
- Three selectable wattage levels per luminaire
- Ribbed polycarbonate lens optimized for stairwell lighting

TECHNICAL DATA

Additional product data

Ordering Abbreviation	STAIR1A/S45UNVD8SC7/48S/WH/USE
Abbrev. With Packaging Info.	STAIR1AS45UNVD8SC748SWHUSE 4/CS 1/SKU
SKU UPC	0046135622786
NAED	62278
Family Brand Name	ULTRA LED
General Description	Stairwell Fixture 1A, 30/55/45W selectable, 120-277V, 0-10V Dimming, 3500/4000/5000K selectable, 48" long, surface mount, white metal body, Polycarbonate lens, Ultrasonic motion/daylight sensor, 8W Emergency Battery Backup
Warranty	5 years

Electrical data

Nominal Wattage	30.00/35.00/45.00 W
Nominal voltage	120.00...277.00 V
Power factor	≥0.90
Total Harmonic Distortion	< 20 %

Photometrical data

Lumens	3750/4340/5445 lm
Efficacy	121 lm/W
Color Temperature/CCT	3500/4000/5000 K
Color Rendering Index (CRI)	> 80

Dimensions & Weight

Length	47.88 in
Width	4.89 in
Height	5.59 in
Product weight	8.46 lb

Materials & Colors

Luminaire Finish	White
Housing color	White
Housing	Metal
Mercury content	0.0 mg

Application & Mounting

Ambient temperature range	0...+50 °C
Maximum Operating Temperature	122 °F

Minimum Operating Temperature	0 °C
Dimming	Yes
Type of Dimming	0-10V
Mounting	Surface
Indoor/Outdoor	Indoor
Replaceable light source	No

Lifespan

Average Rated Life (hr)	125000
-------------------------	--------

BATTERY

Lithium Ion Battery	Li ion battery
Battery size [GMS]	Others

Logistical data

SKU Qty	1
Case Qty	4
Case Length (in)	48.976
Case Width (in)	11.417
Case Depth (in)	12.402
Case Cube (ft)	4.013
Case Weight (lbs)	37.475
SKU UPC	0046135622786
Pallet Qty	36

Certificates & Standards

Certification Listing	RoHS / FCC / cULus
-----------------------	--------------------

EQUIPMENT / ACCESSORIES

- Ultrasonic motion sensor
- Mounting template

Safety advice

- cULus listed to UL1598 and CSA C22.2 luminaire standards
- For indoor use only

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product Family Spec Sheet	UltraLED™ Ultrasonic Stairwell

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.