

PRODUCT DATASHEET

TROFFER 5A 2x2 (20, 25 or 30W) 4000K (A2)

SYLVANIA Troffer Lumen Selectable | Troffer with selectable wattage



Areas of application

- Offices
- Retail
- Hallways
- Multipurpose Rooms
- Hospitality

Product features

- Lumen selectability increases the versatility of this product
- All models are DLC Standard
- Ideal for retrofits, delivering major energy savings vs. traditional lighting
- Standard 0–10V driver enables added energy savings via dimming
- Up to 125 LPW
- 3500K, 4000K, or 5000K color temperature
- 0–10V Dimmable
- CRI > 80

TECHNICAL DATA

Additional product data

Ordering Abbreviation	VOLUME5AS030UNVD84022UWHA2
Abbrev. With Packaging Info.	VOLUME5AS030UNVD84022UWHA2 1/CS 1/SKU
NAED	62912
General Description	Volumetric 5A troffer, selectable 30W, 4000K, 2x2, with Lutron Vive
Warranty	5 years

Electrical data

Nominal Wattage	20.00/25.00/30.00 W
Nominal voltage	120.00...277.00 V
Power factor	≥0.90
Total Harmonic Distortion	< 20 %

Photometrical data

Lumens	2500/3125/3750 lm
Efficacy	83 lm/W
Color Temperature/CCT	4000 K
Color Rendering Index (CRI)	> 80

Dimensions & Weight

Length	23.78 in
Width	23.78 in
Height	3.62 in
Product weight	7.72 lb

Materials & Colors

Luminaire Finish	White
Housing color	White
Housing	Steel
Mercury content	0.0 mg

Application & Mounting

Dimming	Yes
Type of Dimming	0-10V
Mounting	Recessed
Indoor/Outdoor	Indoor
Replaceable light source	No

Lifespan

Average Rated Life (hr)	50000
-------------------------	-------

Logistical data

Case Qty	1
Case Length (in)	25.433
Case Width (in)	24.685
Case Depth (in)	3.063
Case Cube (ft)	1.113
Case Weight (lbs)	10.396
Pallet Qty	30

Certificates & Standards

Certification Listing	FCC / RoHS
Replaceable light source (EPREL)	Not replaceable

EQUIPMENT / ACCESSORIES

- Optional flange kit

Safety advice

- Luminaire lays in standard 15/16" and 9/16" T-grid ceilings

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product Family Spec Sheet	ValueLED Lumen Selectable Volumetric Troffer
	Product Family Spec Sheet	ValueLED™ Lumen Selectable Volumetric Troffer- Cut Sheet

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.