

PRODUCT DATASHEET

WALL SCONCE CCT SELECT 14W

SYLVANIA Wall Sconce CCT Selectable | SYLVANIA Wall Sconce luminaire with selectable CCT



Areas of application

- Indoor applications
- Bathrooms
- Entryways & foyers
- Hallways
- Corridors

Product features

- Selectable CCTs: 2700/3000/3500/4000/5000K
- Input Voltage: 120Vac
- No warm up time, instant on with full light and consistent lamp to lamp color
- Uniform, glare free illumination distribution
- Easy installation – no additional hardware needed
- Lifetime (L70): up to 50,000 h

TECHNICAL DATA

Additional product data

Ordering Abbreviation	WALLSCE91150U9SC3
Abbrev. With Packaging Info.	WALLSCE91150U9SC3 4/CS 1/SKU
SKU UPC	0046135655708
NAED	65570
Family Brand Name	Hi-PerformanceLED
General Description	WALL SCONCE, 9 INCH, 14W, 1150LM, 120- 277V, CRI 90, 5 CCT SELECTABLE, 50 000H LIFE TIME, DAMP RATED
Warranty	5 years

Electrical data

Nominal Wattage	14.00 W
Nominal voltage	120.00...277.00 V
Power factor	≥0.90
Total Harmonic Distortion	≤ 20 %

Photometrical data

Lumens	1150 lm
Efficacy	82 lm/W
Color Temperature/CCT	2700/3000/3500/4000/5000 K
Color Rendering Index (CRI)	90
Luminaire Type	Surface

Dimensions & Weight

Length	9.25 in
Width	3.94 in
Height	10.51 in
Product weight	1.71 lb

Materials & Colors

Luminaire Finish	White
Housing color	White
Housing	Polycarbonate (PC)

Application & Mounting

Ambient temperature range	-20...+40 °C
Maximum Operating Temperature	104 °F
Minimum Operating Temperature	-4 °F
Dimming	No

Mounting	Surface
Replaceable light source	No
Primary Lamp Type	SMD

Lifespan

Average Rated Life (hr)	50000
-------------------------	-------

Logistical data

SKU Qty	1
Case Qty	4
Case Length (in)	17.441
Case Width (in)	10.118
Case Depth (in)	11.614
Case Cube (ft)	1.186
Case Weight (lbs)	9.475
SKU UPC	0046135655708
Pallet Qty	160

Certificates & Standards

Certification Listing	FCC / ETL / RoHS
Replaceable light source (EPREL)	Not replaceable

EQUIPMENT / ACCESSORIES

- Mounting screws and mounting brackets included

Safety advice

- cETLus, RoHS, FCC
- For indoor use only; not suitable for outdoor or wet locations
- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Installation Guide	WALL SCONCE MANUAL
	Product Family Spec Sheet	Hi-PerformanceLED™ Selectable Wall Sconce

Photometric and lighting design files		Document name
	IES file (IES)	WALL SCONCE, 9 INCH, 14W, 1150LM, 120- 277V, CRI 90, 5 CCT SELECTABLE IES FILES

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.