

PRODUCT DATASHEET

LINK WIRELESS CONTROLLER 3 KEY UNV BLE

LEDVANCE LINK™ WIRELESS CONTROLLER | LEDVANCE LINK Wireless Controllers



Product features

- Commission and configure with LEDVANCE LINK™ app
- Control using either the LEDVANCE LINK™ app or the wireless controller
- Grouping and Zoning: Wirelessly group luminaires to act in sync with each other
- Scene Control: Preset various scenes for individual or group of luminaires using the app and/or wireless/wired controllers
- QR Code for Admin/Guest control: Using the LEDVANCE LINK™ app, Admin and Guest QR codes for each zone can be generated. Allows copying the settings to another phone/tablet by scanning this QR code
- Allows setting time-based schedules and high-end and low-end trim through the LEDVANCE LINK™ app

TECHNICAL DATA

Additional product data

Ordering Abbreviation	WALLSWITCH1A3KEYUNVBLE
Abbrev. With Packaging Info.	WALLSWITCH1A3KEYUNVBLE 40/CS 1/SKU
SKU UPC	0046135638299
NAED	63829
General Description	120-277V 3 Key wall switch for bluetooth technology, allows on / off / raise, low

Electrical data

Nominal voltage	120...277 V
Supply Frequency	50...60 Hz

Dimensions & Weight

Length	4.05 in
Width	1.7 in
Height	1.65 in
Product weight	0.19 lb

Capabilities

Dimming	Yes
---------	-----

Certificates & Standards

Certification Listing	RoHS / FCC / cULus
Protection class	N
Type of protection	IP66

Logistical data

SKU Qty	1
Case Qty	40
Case Length (in)	18.898
Case Width (in)	9.843
Case Depth (in)	11.024
Case Cube (ft)	1.187
Case Weight (lbs)	12.886
SKU UPC	0046135638299
Pallet Qty	1,440

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Installation Guide	INSTALLATION GUIDE LEDVANCE LINK™ BLUETOOTH® LOW ENERGY MESH LINE VOLTAGE 3-BUTTON WALL CONTROLLER
	Installation Guide	USER GUIDE LEDVANCE LINK FW Manager

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.