

PRODUCT DATASHEET

LINK WIRELESS CONTROLLER 5 KEY

BATTERY BLE

Networked Lighting Controls | Networked Lighting Controls



Product features

- Commission and configure with LEDVANCE LINK™ app
- Control using either the LEDVANCE LINK™ app or the wireless controller
- Grouping and Zoning: Wirelessly group luminaires to act in sync with each other
- Scene Control: Preset various scenes for individual or group of luminaires using the app and/or wireless/wired controllers
- QR Code for Admin/Guest control: Using the LEDVANCE LINK™ app, Admin and Guest QR codes for each zone can be generated. Allows copying the settings to another phone/tablet by scanning this QR code
- Allows setting time-based schedules and high-end and low-end trim through the LEDVANCE LINK™ app

TECHNICAL DATA

Additional product data

Ordering Abbreviation	WALLSWITCH5KEYBLE
Abbrev. With Packaging Info.	WALLSWITCH5KEYBLE 40/CS 1/SKU
SKU UPC	0046135626364
NAED	62636
Family Brand Name	LEDVANCE LINK
General Description	Bluetooth Mesh Wireless Wall and remote switch, CR2032 battery.
Warranty	5 years

Electrical data

Nominal voltage	3 V
Supply Frequency	0 Hz
Protection class	N

Dimensions & Weight

Length	4.53 in
Width	2.75 in
Height	0.48 in
Product weight	0.08 lb

Materials & Colors

Mercury content	0.0 mg
-----------------	--------

Application & Mounting

Type of protection	IP66
Dimming	Yes
Type of Dimming	0-10V

BATTERY

Lithium Ion Battery	Li ion button cell battery
Battery size [GMS]	CR2032

Logistical data

SKU Qty	1
Case Qty	40
Case Length (in)	11.811
Case Width (in)	6.693
Case Depth (in)	6.496
Case Cube (ft)	0.297

Case Weight (lbs)	8.131
SKU UPC	0046135626364
Pallet Qty	6,720

Certificates & Standards

Certification Listing	RoHS
-----------------------	------

DOWNLOAD DATA

	Spec Sheets and Product Documents	Document name
	Installation Guide	Volume 6A Install Guide EN - FR
	Installation Guide	INSTALLATION GUIDE BLUETOOTH® MESH LOW VOLTAGE 5 BUTTON WALL CONTROLLER LEDVANCE LINK™
	Installation Guide	USER GUIDE LEDVANCE LINK FW Manager
	Product Family Spec Sheet	BLUETOOTH MESH ENABLED CONNECTED BACKLIT PANEL
	Product Family Spec Sheet	DATASHEET 3.5mm PIN BLUETOOTH MESH LOW VOLTAGE CONTROLLER
	Product Family Spec Sheet	DATASHEET LEDVANCE LINK BLUETOOTH MESH LINE VOLTAGE CONTROLLER/POWERPACK
	Product Family Spec Sheet	LINE VOLTAGE FIXTURE CONTROLLER/POWERPACK WITH 12VDC AUX
	Product Family Spec Sheet	DATASHEET LEDVANCE LINK BLUETOOTH® MESH LOW VOLTAGE CEILING SENSOR & CONTROLLER
	Product Family Spec Sheet	DATASHEET LEDVANCE LINK 3.5mm PIN BLUETOOTH® LOW ENERGY MESH INDOOR SENSOR & CONTROLLER
	Product Family Spec Sheet	DATASHEET LEDVANCE LINK BLUETOOTH® LOW ENERGY MESH LINE VOLTAGE HIGHBAY SENSOR AND CONTROLLER
	Product Family Spec Sheet	DATASHEET LEDVANCE LINK BLUETOOTH MESH LOW VOLTAGE 5 BUTTON WALL CONTROLLER
	Product Family Spec Sheet	BLUETOOTH MESH ENABLED CONNECTED RETROFIT DOOR KIT LEDLUM165
	Product Family Spec Sheet	BLUETOOTH MESH ENABLED CONNECTED TROFFER
	Product Family Spec Sheet	ULTRA LED™ Selectable HIDR
	Product Family Spec Sheet	ULTRA LED™ CCT Selectable High Bay Retrofit

Spec Sheets and Product Documents	Document name
-----------------------------------	---------------



Product Family Spec Sheet UltraLED™ Dual Selectable Vapor Tight 3A

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.