


PRODUCT DATASHEET

WALL PACK COMPACT 80W 120-347V D 8 3CCT BZ P

WALL PACK COMPACT | Non Cutoff Wall Pack with selectable CCT and wattage



VALUE
CLASS

Areas of application

- Building exteriors
- Outdoor corridors
- Walkways
- Stairwells

Product features

- DLC Premium: assures high energy efficient & eligible for utility rebates
- Integrated photocell that can be disabled in the field
- Up to 140 LPW
- Selectable wattage and lumen output
- Selectable CCT: 3000 K, 4000 K and 5000 K
- CRI > 80

TECHNICAL DATA

Additional product data

Ordering Abbreviation	WALPAKN8AS080UNHD8SC2BZP
Abbrev. With Packaging Info.	WALPAKN8AS080UNHD8SC2BZP 1/CS 1/SKU
NAED	63656
Family Brand Name	Value Class
General Description	VALUE CLASS WALPAK NON-CUT OFF 8A, WATTAGE SELECTABLE 40/60/80W, 120- 347V, 0-10V DIMMING, 80CRI, CCT SELECTABLE 3000/4000/5000K, BRONZE, PHOTOCELL
Warranty	5 years

Electrical data

Nominal Wattage	40.00/60.00/80.00 W
Nominal voltage	120.00...347.00 V
Power factor	≥0.90
Total Harmonic Distortion	< 20 %

Photometrical data

Lumens	5600/8400/11200 lm
Efficacy	140 lm/W
Color Temperature/CCT	3000/4000/5000 K
Color Rendering Index (CRI)	80
Luminaire Type	Wall pack

Dimensions & Weight

Length	13.82 in
Width	8.88 in
Height	4.48 in
Product weight	7.28 lb

Materials & Colors

Luminaire Finish	Bronze
Housing color	Bronze
Housing	Aluminum
Mercury content	0.0 mg

Application & Mounting

Ambient temperature range	-40...+50 °C
Maximum Operating Temperature	122 °F
Minimum Operating Temperature	-40 °F

Dimming	Yes
Type of Dimming	0-10V
Mounting	Surface
Indoor/Outdoor	Outdoor
Replaceable light source	No
Primary Lamp Type	SMD

Lifespan

Average Rated Life (hr)	100000
-------------------------	--------

Logistical data

Case Qty	1
Case Length (in)	15.945
Case Width (in)	10.748
Case Depth (in)	7.402
Case Cube (ft)	0.734
Case Weight (lbs)	8.346
Pallet Qty	60

Certificates & Standards

Certification Listing	RoHS / FCC / cULus
Replaceable light source (EPREL)	Not replaceable

Optional accessories

Product image	Product name	UPC
	WALPACK VISOR 8A SMALL BZ	OS63833
	WALPACK VISOR 8A MED BZ	OS63834
	WALPACK VISOR 8A LRG BZ	OS63835
	WALPACK WIRE GUARD 8A SMALL	OS63836

Product image	Product name	UPC
	WALPACK WIRE GUARD 8A MED	OS63837
	WALPACK WIRE GUARD 8A LRG	OS63838

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Installation Guide	WALL PACK 8A
	Product Family Spec Sheet	LEDLUM190 Dual Selectable Non Cutoff Wall Pack 8A
Photometric and lighting design files		Document name
	IES file (IES)	WALL PACK 8A IES

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.